

NREMT^{Q&As}

National Registry Emergency Medical Technician

Pass Medical Tests NREMT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/nremt.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Medical Tests Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Your patient is a 34-year old male with a large laceration to the abdomen, and the abdominal organs are protruding from the wound. What is this type of injury called?

- A. Evisceration
- B. Avulsion
- C. Protrusion
- D. Contusion

Correct Answer: A

An evisceration is the removal or protrusion of the internal organs.

QUESTION 2

Any penetrating missile traveling over 2,000ft/sec would be classified as?

- A. Low velocity
- B. Medium velocity
- C. High velocity
- D. Decelerating

Correct Answer: C

Any projectile which is traveling greater than 2,000ft/sec is indeed high velocity and carry with it high potential for kinetic energy transfer. These would be a rifle rounds which can deliver a large projectile over long distances with devastating consequences.

QUESTION 3

You arrive to find the patient actively seizing. What is your primary concern with this patient?

- A. What type of seizure is the patient having:
- B. Past medical history
- C. Last seizure
- D. Airway

Correct Answer: D

When a patient is actively seizing all muscles are contracting erratically with out coordination so there are

ineffective respirations. Plus with every muscle contracting there is an increase in oxygen demand so the patient will be in oxygen debt.

Also there may be a partial or complete airway obstruction.

QUESTION 4

Statements from patients are used as assessment tools, which of the following statements about stroke symptoms should cause the clinician to use a higher index of suspicion?

- A. This is the worst head ache I have ever had.
- B. This head ache is behind my right eye.
- C. My head is throbbing.
- D. Bright light causes my head to hurt worse.

Correct Answer: A

"This is the worst head ache I have ever had." this statement should not be ignored or considered to be dramatic, it should cause the clinician to modify their assessment to include a hemorrhagic stroke in their differential. All of the other statements do classify the intensity of their head ache and it may not rule out a stroke, however the statement of the worst head ache should alert you to the possibility of more acute findings.

QUESTION 5

What is the difference between angina pectoris and a myocardial infarction?

- A. As an EMT-B you cannot determine the difference
- B. The pain from angina pectoris will gradually get worse
- C. A myocardial infarction will go away with rest
- D. Angina pectoris is caused by physical or emotional stress

Correct Answer: D

Angina pectoris is typically caused by physical or emotional stress. Symptoms usually last no more than 10 minutes and are relieved by rest.