

NS0-159^{Q&As}

NetApp Certified Data Administrator, ONTAP

Pass NetApp NS0-159 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-159.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

(missing the Exhibit)

Referring to the exhibit, what is a valid storage failover scenario?

- A. Node 1 fails and Node 2 takes over Node 1's storage.
- B. Node 2 fails and Node 3 takes over Node 2's storage.
- C. Node 3 fails and Node 1 takes over Node 3's storage.
- D. Node 4 fails and Node 2 takes over Node 4's storage.

Correct Answer: A

QUESTION 2

You have a new cluster and must create a LIF on a port that uses LACP and VLAN. What is the correct order of network tasks that are required before you create the LIF?

- A. ifgroup -> VLAN -> add port to broadcast domain
- B. VLAN -> ifgroup -> add port to broadcast domain
- C. add port to broadcast domain ?ifgroup >; VLAN
- D. add port to broadcast domain -> VLAN -> ifgroup

Correct Answer: A

QUESTION 3

You are using an AFF A700.

In this scenario, which two default storage efficiency techniques will help save space? (Choose two.)

- A. postprocess deduplication
- B. inline deduplication
- C. postprocess compaction
- D. inline compression

Correct Answer: BD

QUESTION 4

You use the Automated Workload Analyzer (AWA) to identify workloads that would benefit from which feature?

- A. Flash Pool aggregates
- B. Advances Disk Partitioning
- C. storage efficiency
- D. FabricPool capacity tier

Correct Answer: A

QUESTION 5

What are three advantages of configuring network subnets? (Choose three.)

- A. The default gateway is automatically added to the SVM.
- B. The DNS zone is automatically set on the NAS LIF.
- C. The subnet mask is automatically set on the NAS LIF.
- D. The flow control is automatically set on the port.
- E. The IP address is automatically set on the NAS LIF.

Correct Answer: ABE

[Latest NS0-159 Dumps](#)

[NS0-159 Practice Test](#)

[NS0-159 Brainsdumps](#)