

NS0-504^{Q&As}

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

Pass Network Appliance NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-504.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Any newly installed system with Data ONTAP 7.3.1 supports which cfmodes?

- A. dual_fabric only
- B. single_image
- C. partner
- D. mixed

Correct Answer: B

QUESTION 2

The storage administrator wants to ensure resilient non-interruptive access to a LUN in a cluster even if the volume containing the LUN is moved to any node within the cluster. What is the minimum recommended method to accomplish this requirement?

- A. Create a single fabric design with a single LIF on each node.
- B. Create a single fabric design with two LIFs on each node.
- C. Create a dual fabric design with a single LIF to one of the fabrics on each node.
- D. Create a dual fabric design with a single LIF to each of the fabrics on each node.

Correct Answer: A

QUESTION 3

Which system is recommended as a secondary system for SnapVault?

- A. IS1200
- B. DataFort
- C. NearStore VTL
- D. FAS with NearStore license

Correct Answer: D

QUESTION 4

What is the correct format for the scheduling component of a SnapVault schedule?

- A. cnt[@day_list][@hour_list]
- B. YYYY-MM-DD

C. Crontable format

D. List of dates in ISO Date format

Correct Answer: A

QUESTION 5

What must you specify when you create a Vserver for block protocols?

A. the Vserver's Fibre Channel target WWPN or iSCSI target name

B. the Vserver administrator's login and password

C. the Vserver's home node

D. the Vserver's security style

Correct Answer: A

[NS0-504 PDF Dumps](#)

[NS0-504 Exam Questions](#)

[NS0-504 Braindumps](#)