

OMNISTUDIO-DEVELOPER^{Q&As}

Salesforce Certified OmniStudio Developer

Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/omnistudio-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard's records in a Datatable.

- A. {Records[0]}
- B. {Records}
- C. {Params records}
- D. {recordId}

Correct Answer: B

QUESTION 2

A developer is configuring the API URL in an HTTP Action element within an Integration procedure.

What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

- A. x%SetValues.Date%
- B. (' Setvalues\') [`Date\`]
- C. %SetValues Date
- D. {(SetValues. Date)}

Correct Answer: A

QUESTION 3

A developer has an existing DataRaptor Load that insert Contact records with inputs as LastName and firstName. The DataRaptor works as expected when previewed.

The developer creates an integration Procedure to test the DataRaptor and is using a SetValues element in the Integration Procedure to set the first name and last name for the contact record. The DataRaptor and Integration Procedure are set up as shown in the exhibit below.

Interface Type	Input Type	Output Type	Required Permission (Optional)	Description
Load	JSON	SObject		

OBJECTS	FORMULAS	FIELDS	OPTIONS	PREVIEW
1 - Contact	All			
INPUT JSON PATH	DOMAIN OBJECT FIELD			
firstName	FirstName			
lastName	LastName			


When the developer executes the Integration procedure in preview, the following error message displays: Required fields are missing: [last Name]\\\, How should the developer address this issue?

- A. SetValueContactDetails should have been added to Additional input of DataRaptor Post Action in Integration Procedure
- B. The Set values Action Keys should include the DataRaptor Post Action element name path, e.g LoadContactDetails, lastname
- C. The DataRaptor Post Action in the integration procedure should have been executed before the Set Values Action
- D. The valid field names should be added in the Domain object field in the DataRaptor

Correct Answer: A

QUESTION 4

Refer to the exhibit.



A developer creates an OmniScript display FirstName, LastName, and BirthDate of a contact using a Type Ahead Block. The DataRaptor used in the Type Ahead has been tested and fetches the correct data.

When previewing Omniscript, the developer enters a name in the Type Ahead and makes a selection of a contact from the list. However, the text fields FirstName, LastName, and BirthDate are not getting populated with the data.


What is the reason that the fields fail to display the fetched data?

- A. Lookup Mode is not selected in the properties of the Type A Head Block.
- B. Use Data JSON is not selected in the properties of the Type Ahead Block.
- C. FirstName, LastName, and BirthDate are not placed inside the Type ahead Block.
- D. The Typeahead key is not in the correct format

Correct Answer: C

QUESTION 5

Refer to the exhibit below. In this Integration Procedure structure, what Send JSON Path would you use to send the output of the ActionZ element to a Response Action?



- A. BlockX.BlockYActionZ
- B. ActionZ:BlockY:BlockX
- C. ActionZ:BlockY:BlockX
- D. BlockX:BlockY:ActionAZ

Correct Answer: D

[OMNISTUDIO-DEVELOPER VCE Dumps](#)

[OMNISTUDIO-DEVELOPER Exam Questions](#)

[OMNISTUDIO-DEVELOPER Braindumps](#)