

OMNISTUDIO-DEVELOPER^{Q&As}

Salesforce Certified OmniStudio Developer

Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/omnistudio-developer.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit below. In this integration production structure, what Send JSON Path would be used to send the Output of the Action1 element to a Remote Action?



- A. Action1. BlockB. Block A
- B. Action1: BlockB. Block A
- C. BlockA: BlockB. Action 1
- D. BlockB: BlockB. Action1

Correct Answer: B

QUESTION 2

Which two of these options can a developer use to retrieve data from a Salesforce object?

Choose 2 answers

- A. A DataRaptor Load Action
- B. A DataRaptor Extract Action
- C. A Lookup Input Element
- D. A DataRapt or Post Action

Correct Answer: BD

QUESTION 3

A developer need to configure a calculation procedure to calculation a subtotal using two different depending on whether the input Boolean variable is Customer is set to true or false.

How should a developer configure the calculation procedure to conditionally execute the correct formula?

- A. Use two separate Calculation Steps with the Conditional Step property selected: use the ISTRUE(isCustomer) and NOT (ISTRUE) (isCustomer) functions in the Condition syntax.
- B. Use two separate Calculation Steps with the Conditional Step property selected: reference just the isCustomer variable in the Conditional syntax (no comparison necessary)
- C. Use two separate Calculation Steps with the Conditional Step property selected: compare the isCustomer variable directly to the literal true and false values in the Condition syntax.
- D. Use a single Calculation Steps with IF statement directly in the formula definition to reference the isCustome variable and conditionally perform the appropriate calculation.

Correct Answer: B

QUESTION 4

Which two in an integration Procedure or DataRaptor can execute a function like CONCAT or DATEDIFF?

Choose 2 answers

- A. In a Set Values Action in a Value field.
- B. In a DataRaptor in an Output Tab Output JSON Path.
- C. In a DataRaptor Action in an Input Parameters value field.
- D. In a Remote Action m an Additional Output value field.

Correct Answer: AD

QUESTION 5

Refer to the exhibit.

Account	Contact	Contact
Name: Acme	Name: Edward Stamos	Name: Howard Jones
Phone: (222) 154-6150	Cell Phone: (212) 154-8562	Cell Phone: (650) 150-1102

The card layout uses an integration Procedure as a data source. The cards use the layout data source.

Which JSON data structure supports this card layout and follows best practices?

```

A. {
  "Contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "CellPhone": "(650) 156-1102",
      "Name": "Howard Jones"
    }
  ],
  "Account": {
    "Phone": "2221546450",
    "Name": "Acme"
  }
}

B. {
  "contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "CellPhone": "(650) 156-1102",
      "Name": "Howard Jones"
    }
  ],
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}

C. [
  {
    "Account": {
      "Phone": "2221546450",
      "Name": "Acme"
    },
    "ContactCellPhone": "(212) 154-8562",
    "ContactName": "Edward Stamos"
  },
  {
    "Account": {
      "Phone": "2221546450",
      "Name": "Acme"
    },
    "ContactCellPhone": "(650) 156-1102",
    "ContactName": "Howard Jones"
  }
]

```

A. Option A

B. Option B

C. Option C

Correct Answer: C

[Latest OMNISTUDIO-
DEVELOPER Dumps](#)

[OMNISTUDIO-
DEVELOPER Study Guide](#)

[OMNISTUDIO-
DEVELOPER Braindumps](#)