

P_SECAUTH_21^{Q&As}

SAP Certified Technology Professional - System Security Architect

Pass SAP P_SECAUTH_21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/p_secauth_21.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The SSO authentication using X.509 client certificates is configured. Users complain that they can't log in to the back-end system. The trace file shows the following error message: "HTTP request [2/5/9] Reject untrusted forwarded certificate".

What is missing in the configuration? Note: There are 2 correct answers to this question.

- A. On the back-end, the profile parameter icm/HTTPS/verify client must NOT be set to 0
- B. On the web-dispatcher, the SAPSSLS.pse must be signed by a trusted certification authority
- C. On the web-dispatcher, the profile parameter icm/HTTPS/verify_client must be set to 0
- D. The web dispatcher's SAPSSLC.PSE certificate must be added to the trusted reverse proxies list in icm/trusted_reverse_proxy_

Correct Answer: AB

QUESTION 2

How can you protect a table containing sensitive data using the authorization object S_TABU_DIS?

- A. The tables containing sensitive data must be associated with table groups in table TBRG.
- B. The field DICBERCLS of the authorization object must enumerate all table names of the tables containing sensitive data.
- C. Authorization table groups containing tables with sensitive data must be defined in table TDDAT and these must be omitted for all employees who do not need access to these tables
- D. The tables containing sensitive data must be named using the authorization object S_TABU_NAM for all responsible administrator employees. The fields DICBERCLS of the object S_TABU_DIS can then be filled with *.

Correct Answer: C

QUESTION 3

You have implemented CUA in your organization and you want to set the field distribution attribute as follows: Maintain a default value in the central system that is automatically distributed to the child systems when you create a user. After distribution, the data is maintained only locally and is no longer distributed if you change it in the central or child system.

Which field distribution parameter do you maintain?

- A. Redistribution
- B. Local

C. Global

D. Proposal

Correct Answer: D

QUESTION 4

Which tasks would you perform to allow increased security for the SAP Web Dispatcher Web Administration interface?

Note: There are 2 correct answers to this question.

A. Use a separate port for the content

B. Use access restrictions with the icm/HTTP/auth_ profile parameter

C. Use subparameter ALLOWPUB = FALSE of the profile parameter icm/server_port_

D. Use Secure Socket Layer (SSL) for password encrypt on

Correct Answer: AC

QUESTION 5

You want to carry out some preparatory work for executing the SAP Security Optimization Self-service on a customer system.

Which of the following steps do you have to execute on the managed systems? Note: There are 2 correct answers to this question.

A. Install the ST-A/PI plug-in

B. Configure Secure Network Communications

C. Configure specific authorizations

D. Grant operating system access

Correct Answer: AC

[P_SECAUTH_21 Practice Test](#)

[P_SECAUTH_21 Study Guide](#)

[P_SECAUTH_21 Exam Questions](#)