

# PEGACSSA74V1<sup>Q&As</sup>

Certified Senior System Architect (CSSA) 74V1

## Pass Pegasystems PEGACSSA74V1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pegacssa74v1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by  
Pegasystems Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A rule with an Apply to: class of AQB-Expenses-Work-TravelVoucher references a rule named CreateVoucher. There are six instances of Create Voucher in the rules cache as shown in the following table.

Apply to:	Ruleset : Version	Availability
AQB-Expenses-Work	Expenses:01-01-05	Withdrawn
AQB-Expenses-Work	Expenses:01-01-03	Available
AQB-Expenses-Work	AQBCatalog:01-01-05	Blocked
AQB-Expenses-Work	AQBCatalog:01-01-03	Available
AQB-Expenses	Expenses:02-01	Final
AQB-Expenses	AQBCatalog:01-01-05	Available

Rule resolution fails to find a rule to execute. What is a possible reason that rule resolution fails to find a rule to execute?

- A. The operator only has access to the 01 major versions of the Expenses and AQBCatalog rulesets
- B. The operator does not have one or more of the rulesets in their ruleset list
- C. The Blocked instance of CreateVoucher is preventing rules in the AQBCatalog ruleset from resolving
- D. The Withdrawn instance of CreateVoucher is preventing rules in the AQB-Expenses-Work context from resolving

Correct Answer: A

**QUESTION 2**

You are updating a system of record using a flow rule by calling a SOAP connector from an Integrator shape. You want to display an error message when the system of record is unavailable.

How do you implement this requirement?

- A. Implement the logic in the data page's response data transform
- B. Implement the logic in the connector's error handler flow
- C. Customize the standard pxErrorHandlingTemplate data transform
- D. Use a transition condition in the activity step invoking the connector

Correct Answer: C

## QUESTION 3

An agent runs every 300 seconds. You have been asked to update the agent so that it runs every Friday at 12:00 A.M.

How do you modify the agent schedule to meet this requirement?

- A. Change the Periodic pattern to Recurring. Open the Parameters dialog and update the schedule
- B. Keep the Periodic pattern. In the Parameters dialog, update the schedule
- C. Change the Recurring pattern to Periodic and enter the Interval value
- D. Keep the Recurring pattern and update the Interval value

Correct Answer: C

---

## QUESTION 4

An agent is configured to run at a 600-second interval with a maximum number of entries set to 50. There are 75 entries in the scheduled queue.

If the agent runs at 2:30 P.M., when does the agent run again?

- A. 600 seconds after the last run started
- B. 600 seconds after the agent activity processes 50 entries
- C. One hour after the last run because the master agent runs only once per hour
- D. Depends on the number of nodes in the cluster

Correct Answer: B

---

## QUESTION 5

You want to allow users to use an application on a mobile device, even if the device is not connected to a network.

Which configuration option supports this requirement?

- A. Simulate external data sources when the application is offline
- B. Source drop-down lists using data pages
- C. Configure UI elements to use native controls on mobile devices
- D. Source repeating layouts using report definitions

Correct Answer: B