

# UIPATH-ARDV1<sup>Q&As</sup>

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

## Pass UiPath UIPATH-ARDV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/uiopath-ardv1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Please select the incorrect statement about partial selectors.

- A. Activities containing partial selectors can be enclosed in Attach Window activity.
- B. Partial selectors do not contain information about the top-level window.
- C. Partial selectors are recommended when performing multiple actions in the same window.
- D. Partial selectors are generated by the Basic recorder.

Correct Answer: D

Partial selectors are generated by the Desktop recorder. They contain information about the top-level window and are enclosed in Attach Window or Attach Browser activities. It is recommended to use partial selectors when performing multiple actions in the same window.

---

**QUESTION 2**

How can you pass DATA between workflows?

- A. By using arguments
- B. By using variables
- C. By using a pipe

Correct Answer: A

---

**QUESTION 3**

A new blank project only has the Main.xaml file and consists of a single Throw activity. The activity is not enclosed in a Try Catch activity. If this process is published and run from Orchestrator, what is the expected result?

- A. Exception Pop-up is displayed on the robot machine.
- B. Job is completed with a "Stopped" state.
- C. Job is completed with a "Successful" state.
- D. Job is completed with a "\\Faulted" state.

Correct Answer: D

---

**QUESTION 4**

Which of the following are considered best practices? Select all the options that apply.

- A. Keeping environment settings hard coded inside workflows.
- B. Breaking the process into smaller workflows.
- C. Reusing workflows across different projects.

Correct Answer: BC

---

## QUESTION 5

A developer created an automation project in the Robotic Enterprise (RE) Framework which needs to log into a website using different credentials depending on the account and machine it runs on. If the value is not defined for the account and machine, the developer needs the process to throw an error. For security reasons, the credentials for the login are stored in Orchestrator as Credential Assets with the Value Per Account-Machine option.

Which steps should the developer perform to use the Orchestrator asset in the project?

- A. Create a Credential asset with the Global Value disabled. Add a row in the Assets sheet in Config.xlsx with the name of the Orchestrator asset.
- B. Create a Credential asset with the Global Value disabled. Add a row in the Settings sheet in Config.xlsx with the name of the Orchestrator asset.
- C. Create a Credential asset with the Global Value enabled. Add a row in the Assets sheet in Config.xlsx with the name of the Orchestrator asset.
- D. Create a Credential asset with the Global Value enabled. Add a row in the Settings sheet in Config.xlsx with the name of the Orchestrator asset.

Correct Answer: B

[UIPATH-ARDV1 VCE Dumps](#)

[UIPATH-ARDV1 Study Guide](#)

[UIPATH-ARDV1 Exam Questions](#)