

VCPC610^{Q&As}

VMware Certified Professional 6 - Cloud

Pass VMware VCPC610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcpc610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An administrator needs to create an alarm to monitor when a specific ESXi host in an HA/DRS cluster becomes disconnected from other vSphere components like HA agents or the vCenter Server.

Which process must the administrator use to accomplish this?

- A. Define a Host type alarm, monitor for the event Cannot connect host, and supply a conditional trigger on Host name equal to a specific label.
- B. Define a Cluster type alarm, monitor for the event Cannot connect host, and supply a conditional trigger on Host name equal to a specific label.
- C. Define a Cluster type alarm, monitor for the event Host status changed, and supply a specific label for each host.
- D. Define a Host type alarm, monitor for the condition Host status changed, and supply a specific label for each host.

Correct Answer: A

QUESTION 2

What minimum level of access is required for individuals to request and manage items on behalf of users in their department?

- A. Business Group Manager
- B. Support User
- C. Tenant Administrator
- D. Approval Administrator

Correct Answer: B

QUESTION 3

An administrator is considering using NPIV to assign WWNs to virtual machines. Virtual machine portability is a major concern.

Why would NPIV be inappropriate for this deployment?

- A. Virtual machines using NPIV must use DirectpathIO.
- B. Storage vMotion is not supported using NPIV.
- C. vMotion is not supported using NPIV.
- D. Enabling NPIV requires SR-IOV supported hardware.

Correct Answer: B

QUESTION 4

An administrator powers on a vCloud Automation Center Multi-Machine Service that includes Machine A and Machine B. The application on Machine A does not start correctly and displays the following error message:

Machine B not ready

What step should be taken to resolve this issue?

- A. Change the startup order of the Multi-Machine Service.
- B. Create a startup dependency in the Multi-Machine Service.
- C. Define a startup delay in the Multi-Machine Service.
- D. Adjust the startup approvals for the Multi-Machine Service.

Correct Answer: A

QUESTION 5

While trying to login into a tenant a blank page is displayed with a Submit button in the upper left-hand corner.

The Identity Appliance messages log located in /var/log/ shows an error message similar to the following:

```
T16:50:18-05:00 lsassd[2913]: GSSAPI Error: The referenced context has expired (Unknown error) T08:34:41-06:00 vmdirD. t@139870073485056: Lockout policy check - password expired.
```

```
(cn=tenantadmin,cn=users,dc=tenant)
```

```
T11:58:03-06:00 lsassd[2943]: GSSAPI Error: The referenced context has expired (Unknown error)....
```

```
Account "cn=tenantadmin,cn=users,dc=qic" password expired and caused login/bind from IDM to fail.
```

```
YYYY-03-18
```

```
T11:38:46-06:00 denqca3vcacid01 vmdirD. t@140689332778752: LoginBlocked DN
```

```
(cn=tenantadmin,cn=users,dc=tenant), error (9239)(Account access blocked)
```

What event caused this error?

- A. The SSO internal tenant administrator password has expired.
- B. The service account used to start IIS does not have sufficient privileges.
- C. The integrated Windows authentication identity source experiences an error.
- D. The Tenant Administrator account has been locked in Active Directory.

Correct Answer: A

[Latest VCPC610 Dumps](#)

[VCPC610 VCE Dumps](#)

[VCPC610 Practice Test](#)