

100% Money Back Guarantee

Vendor: Microsoft

Exam Code: 070-487

Exam Name: Developing Windows Azure and Web Services

Version: Demo

Testlet 1

Topic 1, Scenario 1

Background

You are developing a flight information consolidation service. The service retrieves flight information from a number of sources and combines them into a single data set. The consolidated flight information is stored in a SQL Server database. Customers can query and retrieve the data by using a REST API provided by the service.

The service also offers access to historical flight information. The historical flight information can be filtered and queried in an ad hoc manner.

The service runs on a Windows Azure Web Role. SSL is not used.

Business Requirements

- A new data source for historical flight information is being developed by a contractor located on another continent.
- If a time zone is not specified, then it should be interpreted as Coordinated Universal Time (UTC).
- When you upgrade a service from a staging deployment to a production deployment, the time that the service is unavailable must be minimized.
- The default port must be used for HTTP.

Technical Requirements

The existing sources of flight information and the mechanism of exchange are listed below.

- Blue Yonder Airlines provides flight information in an XML file.
- Consolidated Messenger provides flight information in a Microsoft Access database that is uploaded every 12 hours to the service using SFTP. The company uses port 22 for SFTP.
- Margie's Travel provides and consumes flight information using serialized ADO.NET DataSets. Data is periodically synced between the service and Margie's Travel.
- Trey Research provides data from multiple sources serialized in proprietary binary formats. The data must be read by using .NET assemblies provided by Trey Research. The assemblies use a common set of dependencies. The current version of the Trey Research assemblies is 1.2.0.0. All assemblies provided by Trey Research are signed with a key pair contained in a file named Trey.snk, which Trey Research also supplies.
- The application specification requires that any third-party assemblies must have strong names.

Application Structure

FlightInfo.cs

```
public class FlightInfo
{
    string DataSource { get; set; }
    public string Airline { get; set; }
    public string Flight { get; set; }
    public DateTimeOffset Arrival { get; set; }
    public int Seats { get; set; }
    public bool WasLate { get; set; }
}
```

BlueYonderLoader.cs

```
public class BlueYonderLoader
{
    public IEnumerable<RawFlightData> LoadFlights(XDocument feed)
    {
        ...
    }

    private RawFlightData Parse(XElement flightElement)
    {
        ...
    }
}
```

HistoricalDataLoader.cs

```
public class HistoricalDataLoader
{
    public static IEnumerable<HistoricalFlightInfo> LoadHistoricalFlights()
    {
        ...
    }

    public void StreamHistoricalFlights(XmlWriter responseWriter, string airline)
    {
        ...
    }

    private XElement ConvertToHistoricalFlight(XElement flight)
    {
        return new XElement("Flight", flight);
    }

    private string GetAirline(XElement flightName)
    {
        return flightName.Value.Substring(0, 2);
    }

    IEnumerable<XElement> RemoteDataStream()
    {
        return XDocument.Load("").Elements();
    }
}
```

MargiesTravelSync.cs

```
public class MargiesTravelSync
{
    public void Sync()
    {
        ...
    }

    private DataSet LoadLocal()
    {
        var dataSet = new DataSet();
        dataSet.ReadXml("local");
        return dataSet;
    }

    private StreamWriter SendStream()
    {
        return new StreamWriter("SendStream");
    }

    private StreamReader ReceiveStream()
    {
        return new StreamReader("ReceiveStream");
    }
}
```

FlightInfoContext.cs

```
public class FlightInfoContext : DbContext
{
    public DbSet<FlightInfo> FlightInfo { get; set; }

    public override int SaveChanges()
    {
        return base.SaveChanges();
    }

    private bool IsTransient(int ex)
    {
        var errors = new[] { 10053, 10054, 64 };
        return errors.Contains(ex);
    }
}
```

FlightDataController.cs

```
public class FlightDataController : ApiController
{
    FlightInfoContext _Context;

    public FlightDataController()
    {
        _Context = new FlightInfoContext();
    }

    [HttpGet]
    public IEnumerable<FlightInfo> GetFlightInfo()
    {
        return _Context.FlightInfo.Select(x => x).AsEnumerable();
    }

    private IEnumerable<HistoricalFlightInfo> LoadHistorical()
    {
        return HistoricalDataLoader.LoadHistoricalFlights();
    }
}
```

QUESTION 1

You need to recommend a data access technology to the contractor to retrieve data from the new data source.

Which data access technology should you recommend?

- A. LINQ to XML
- B. ADO.NET Entity Framework
- C. ADO.NET DataSets
- D. WCF Data Services

Correct Answer: D

Explanation

Explanation/Reference:

QUESTION 2

Errors occasionally occur when saving data using the FlightInfoContext ADO.NET Entity Framework context. Updates to the data are being lost when an error occurs.

You need to ensure that data is still saved when an error occurs by retrying the operation. No more than five retries should be performed.

Which code segment should you use as the body of the SaveChanges() method in the FlightInfoContext.es file?

- A.

```
for (var i = 0; i < 5; i++)
{
    try
    {
        return base.SaveChanges();
    }
    catch (SqlException ex)
    {
        if (IsTransient(ex.Number))
        {
            continue;
        }
    }
}
return base.SaveChanges();
```
- B.

```
var exception = new EntitySqlException();
while (exception.Data != 0 && exception.Data.Count < 5)
{
    try
    {
        return base.SaveChanges();
    }
    catch (EntitySqlException ex)
    {
        if (IsTransient(ex.HResult))
        {
            exception = ex;
        }
    }
}
return base.SaveChanges();
```

```
C. for (var i = 0; i < 5; i++)
{
    try
    {
        return base.SaveChanges();
    }
    catch (SqlException ex)
    {
        if (IsTransient(ex.Number))
        {
            break;
        }
    }
}
return base.SaveChanges();
```

```
D. for (var i = 0; i < 5; i++)
{
    try
    {
        return base.SaveChanges();
    }
    catch (SqlException ex)
    {
        if (!IsTransient(ex.Number))
        {
            continue;
        }
    }
}
return base.SaveChanges();
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

Explanation

Explanation/Reference:

QUESTION 3

You are adding a new REST service endpoint to the FlightDataController controller. It returns flights from the consolidated data sources only for flights that are late.

You need to write a LINQ to Entities query to extract the required data.

Which code segment should you use?

- A.

```
var historical = LoadHistorical();
var query = _Context.FlightInfo.AsQueryable()
    .Join(historical, x => x.Flight, y => y.Flight, (x, y) => new { Current = x,
Historical = y })
    .Where(x => x.Historical.WasLate)
    .Select(x => x.Current);
```
- B.

```
var historical = LoadHistorical();
var query = _Context.FlightInfo.AsEnumerable()
    .Where(x => historical.All(y => y.WasLate && x.Flight == y.Flight))
    .Select(x => x);
```
- C.

```
var historical = LoadHistorical();
var query = _Context.FlightInfo.AsQueryable()
    .Where(x => historical.Select(y => y.Flight).Contains(x.Flight))
    .Where(x => historical.Any(y => y.WasLate))
    .Select(x => x);
```
- D.

```
var historical = LoadHistorical();
var query = _Context.FlightInfo.AsEnumerable()
    .Join(historical, x => x.Flight, y => y.Flight, (x, y) => new { Current = x,
Historical = y })
    .Where(x => x.Historical.WasLate)
    .Select(x => x.Current);
```

- A. Option A
B. Option B
C. Option C
D. Option D

Correct Answer: D
Explanation

Explanation/Reference:

Explanation/Reference:

D is right because you send result as REST so if you use "AsQueryable" the result is deferred to the next enumeration of your result.

D is not optimized but will work.

A will break at runtime.

Credits to Rem

QUESTION 4

Data provided by Consolidated Messenger is cached in the HttpContext.Cache object.

You need to ensure that the cache is correctly updated when new data arrives.

What should you do?

- A. Ensure that the EffectivePrivateBytesLimit value is greater than the size of the database file.
B. Change the sliding expiration of the cache item to 12 hours.
C. Use the SqlCacheDependency type configured with a connection string to the database file.
D. Use the CacheDependency type configured to monitor the SFTP target folder.

Correct Answer: D

Explanation

Explanation/Reference:

QUESTION 5

You need to load flight information provided by Consolidated Messenger.

Which should you use?

- A. SQL Server Data Transformation Services (DTS)
- B. EntityTransaction and EntityCommand
- C. Office Open XML
- D. OleDbConnection and OleDbDataReader

Correct Answer: D

Explanation

Explanation/Reference:

QUESTION 6

You are adding a new REST service endpoint to the FlightDataController controller that returns the total number of seats for each airline.

You need to write a LINQ to Entities query to extract the required data.

Which code segment should you use?

- A.

```
var query = from flight in _Context.FlightInfo
group flight by flight.Seats into agg
let airline = agg.First()
select new
{
    TotalSeats = agg.Key,
    Airline = airline,
};
```
- B.

```
var query = from flight1 in _Context.FlightInfo
from flight2 in _Context.FlightInfo
where flight1.Airline == flight2.Airline
select new
{
    Airline = flight1.Airline,
    TotalSeats = Math.BigMul(flight1.Seats, flight2.Seats);
};
```
- C.

```
var query = from flight in _Context.FlightInfo
from airline in flight.Airline
group airline by airline into agg
select new
{
    Airline = agg.Key,
    TotalSeats = agg.Sum(x => Convert.ToInt32(x)),
};
```
- D.

```
var query = from flight in _Context.FlightInfo
group flight by flight.Airline into agg
select new
{
    Airline = agg.Key,
    TotalSeats = agg.Sum(x => x.Seats),
};
```

- A. Option A
B. Option B
C. Option C
D. Option D

Correct Answer: D

Explanation

Explanation/Reference:

QUESTION 7

You need to load flight information provided by Consolidated Messenger.

What should you use?

- A. Office Open XML
B. COM interop
C. OleDbConnection and OleDbDataReader
D. EntityConnection and EntityDataReader

Correct Answer: C

Explanation

Explanation/Reference:

QUESTION 8

Historical flight information data will be stored in Windows Azure Table Storage using the FlightInfo class as the table entity.

There are millions of entries in the table. Queries for historical flight information specify a set of airlines to search and whether the query should return only late flights. Results should be ordered by flight name.

You need to specify which properties of the FlightInfo class should be used at the partition and row keys to ensure that query results are returned as quickly as possible.

What should you do? (Each correct answer presents part of the solution. Choose all that apply.)

- A. Use the WasLate property as the row key.
- B. Use the Airline property as the row key.
- C. Use the WasLate property as the partition key
- D. Use the Arrival property as the row key.
- E. Use the Airline property as the partition key.
- F. Use the Flight property as the row key.

Correct Answer: CF

Explanation

Explanation/Reference:

QUESTION 9

Transformed historical flight information provided by the RemoteDataStream() method must be written to the response stream as a series of XML elements named Flight within a root element named Flights. Each Flight element has a child element named FlightName that contains the flight name that starts with the two-letter airline prefix.

You need to implement the StreamHistoricalFlights() method so that it minimizes the amount of memory allocated.

Which code segment should you use as the body of the StreamHistoricalFlights() method in the HistoricalDataLoader.es file?

- A.

```
responseWriter.WriteStartElement("Flights");
var flights = RemoteDataStream()
    .OrderBy(x => GetAirline(x.Element("FlightName")));
var filteredFlights = flights
    .SkipWhile(x => GetAirline(x.Element("FlightName")) != airline);
foreach (var f in filteredFlights)
{
    var flight = ConvertToHistoricalFlight(f);
    flight.WriteTo(responseWriter);
}
responseWriter.WriteEndElement();
```
- B.

```
responseWriter.WriteStartElement("Flights");
var flights = RemoteDataStream().Select(x =>
{
    if (GetAirline(x) == airline)
    {
        return ConvertToHistoricalFlight(x);
    }
    return null;
});
flights.TakeWhile(x =>
{
    x.WriteTo(responseWriter);
    return x != null;
});
responseWriter.WriteEndElement();
```
- C.

```
var data = RemoteDataStream().ToDictionary(x =>
    GetAirline(x.Element("FlightName")),
    x => new XElement("Flights", ConvertToHistoricalFlight(x).Descendants()));
data[airline].WriteTo(responseWriter);
```
- D.

```
var flights = new XElement("Flights",
    from flight in RemoteDataStream()
    where GetAirline(flight.Element("FlightName")) == airline
    select ConvertToHistoricalFlight(flight));
flights.WriteTo(responseWriter);
```

- A. Option A
B. Option B
C. Option C
D. Option D

Correct Answer: D

Explanation

Explanation/Reference:

and

<http://msdn.microsoft.com/en-us/library/system.xml.linq.xstreamingelement.aspx> <http://msdn.microsoft.com/en-us/library/bb551307.aspx>

QUESTION 10

Errors occasionally occur when saving data using the FlightInfoContext ADO.NET Entity Framework context. Updates to the data are being lost when an error occurs.

You need to ensure that data is still saved when an error occurs by retrying the operation. No more than five retries should be performed.

With which code segment should you replace the body of the SaveChanges() method in the FlightInfoContext.cs file?

```

A. for (var i = 0; i < 5; i++)
    {
        try
        {
            return base.SaveChanges();
        }
        catch (SqlException ex)
        {
            if (IsTransient(ex.Number))
            {
                continue;
            }
        }
    }
return base.SaveChanges();

B. var exception = new EntitySqlException();
while (exception.Data != 0 && exception.Data.Count < 5)
{
    try
    {
        return base.SaveChanges();
    }
    catch (EntitySqlException ex)
    {
        if (IsTransient(ex.HResult))
        {
            exception = ex;
        }
    }
}
return base.SaveChanges();

C. for (var i = 0; i < 5; i++)
    {
        try
        {
            return base.SaveChanges();
        }
        catch (SqlException ex)
        {
            if (IsTransient(ex.Number))
            {
                break;
            }
        }
    }
return base.SaveChanges();

D. for (var i = 0; i < 5; i++)
    {
        try
        {
            return base.SaveChanges();
        }
        catch (SqlException ex)
        {
            if (!IsTransient(ex.Number))
            {
                continue;
            }
        }
    }
return base.SaveChanges();

```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

Explanation/Reference:

Explanation/Reference:

EntitySqlException: Represents errors that occur when parsing Entity SQL command text. This exception is thrown when syntactic or semantic rules are violated. SqlException: The exception that is thrown when SQL Server returns a warning or error. This class cannot be inherited.

EntityCommandExecutionException : Represents errors that occur when the underlying storage provider could not execute the specified command. This exception usually wraps a provider- specific exception.

QUESTION 11

You need to configure the Windows Azure service definition to enable Consolidated Messenger to upload files.

What should you do? (To answer, drag the appropriate configuration items to the correct location or locations. Each configuration item may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

http

tcp

https

InternalEndpoint

InputEndpoint

80

22

3389

Answer Area

```
<Binding name="Website" endpointName="Website" />
<Binding name="Transfer" endpointName="Transfer" />
</Bindings>
</Site>
</Sites>
<Endpoints>
< [input] name="Website"
      protocol=" [input] "
      port=" [input] " />
< [input] name="Transfer"
      protocol=" [input] "
      port=" [input] " />
</Endpoints>
</WebRole>
```

Correct Answer:

Get Latest & Actual IT Exam Dumps with VCE and PDF from Lead4pass.
<https://www.Lead4Pass.com>

Answer Area

```
<Binding name="Website" endpointName="Website" />
<Binding name="Transfer" endpointName="Transfer" />
</Bindings>
</Site>
</Sites>
<Endpoints>
```


"

" />

"

" />

```
</Endpoints>
</WebRole>
```

Available options in the left sidebar:

- http
- tcp
- https
- InternalEndpoint
- InputEndpoint
- 80
- 22
- 3389

Explanation

Explanation/Reference:

QUESTION 12

You need to deploy the application to the Windows Azure production environment to meet the business requirements.

What should you do? (To answer, select the appropriate button in the answer area.)

Hot Area:

The screenshot displays the Azure Management Console interface. At the top, there are two main sections: 'Deployments' and 'Instances'. The 'Deployments' section includes buttons for Upgrade, Configure, Delete, Start, Stop, Swap VIP, and Configure OS. The 'Instances' section includes buttons for Reboot and Reimage. Below these sections is a 'Choose Columns' dropdown menu. The main content area is a table with three columns: Name, Type, and Environment. The table lists various components under a 'Main' subscription, including a 'Main Deployment' in the 'Production' environment, which is currently selected.

Name	Type	Environment
Main	Subscription	
Main	Hosted Service	
Certificates		
Windows Azure Tools	Service Certificate	
Main Deployment	Deployment	Production
MvcWebRole1	Role	Production
MvcWebRole1_IN_0	Instance	Production
Main Deployment - staging	Deployment	Staging
MvcWebRole1	Role	Staging
MvcWebRole1_IN_0	Instance	Staging

Correct Answer:

Name	Type	Environment
Main	Subscription	
Main	Hosted Service	
Certificates		
Windows Azure Tools	Service Certificate	
Main Deployment	Deployment	Production
MvcWebRole1	Role	Production
MvcWebRole1_IN_0	Instance	Production
Main Deployment - staging	Deployment	Staging
MvcWebRole1	Role	Staging
MvcWebRole1_IN_0	Instance	Staging

Explanation

Explanation/Reference:

QUESTION 13

Flight information data provided by Margie's Travel is updated both locally and remotely. When the data is synced, all changes need to be merged together without causing any data loss or corruption.

You need to implement the Sync() method in the MargiesTravelSync.es file.

What should you do? (To answer, drag the appropriate code segments to the correct location or locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

Answer Area

XmlReadMode.DiffGram

XmlReadMode.Fragment

XmlReadMode.InferSchema

XmlWriteMode.DiffGram

XmlWriteMode.IgnoreSchema

```

public void Sync()
{
    var sendStream = SendStream();
    var receiveStream = ReceiveStream();
    var local = LoadLocal();

    local.WriteXml(sendStream, );
    local.ReadXml(receiveStream, );
}
                
```

Correct Answer:

Answer Area

XmlReadMode.Fragment

XmlReadMode.InferSchema

XmlWriteMode.IgnoreSchema

```

public void Sync()
{
    var sendStream = SendStream();
    var receiveStream = ReceiveStream();
    var local = LoadLocal();

    local.WriteXml(sendStream, XmlWriteMode.DiffGram );
    local.ReadXml(receiveStream, XmlReadMode.DiffGram );
}
                
```

Explanation

Explanation/Reference:

<http://msdn.microsoft.com/en-us/library/ms135424.aspx>

QUESTION 14

Historical flight information data will be stored in Windows Azure Table Storage using the FlightInfo class as the table entity.

There are millions of entries in the table. Queries for historical flight information specify a set of airlines to search and whether the query should return only late flights. Results should be ordered by flight name.

You need to specify which properties of the FlightInfo class should be used at the partition and row keys to ensure that query results are returned as quickly as possible.

What should you do? (To answer, drag the appropriate properties to the correct location or locations in the answer area. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

Answer Area

Airline

WasLate

Flight

Arrival

Use the property as the partition key.

Use the property as the row key.

Correct Answer:

Answer Area

Airline

WasLate

Flight

Arrival

Use the **WasLate** property as the partition key.

Use the **Flight** property as the row key.

Explanation

Explanation/Reference:

QUESTION 15

The service has been deployed to Windows Azure.

Trey Research has provided version 1.3.0.0 of the assembly to support a change in the serialization format. The service must remain available during the transition to the new serialization format.

You need to ensure that the service is using the new assembly.

Which configuration setting should you add to the web.config? (To answer, drag the appropriate configuration elements to the correct location or locations in the answer area. Each configuration element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !


- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.