



1Y0-253^{Q&As}

Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

Pass Citrix 1Y0-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/1Y0-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: An administrator is implementing a two-factor authentication solution with an RSA SecureID product. The administrator already has the server name and port number of the RSA server. Which additional information does the administrator need to configure RSA SecureID?

- A. LDAP password
- B. Firewall access rule
- C. Authentication policy
- D. RADIUS shared secret

Correct Answer: D

QUESTION 2

Scenario: A Citrix Administrator needs to restrict access to sensitive financial applications. The applications should be accessible within the internal network, but NOT accessible externally through the NetScaler Gateway. What should the administrator configure to accomplish this requirement?

- A. AAA group
- B. Traffic policy
- C. Authorization policy
- D. SmartAccess policy

Correct Answer: D

QUESTION 3

What should a Citrix Administrator configure in a session profile so that users are able to use WorxWeb on their mobile devices?

- A. SSL vPN
- B. ICA Proxy
- C. Secure Browse
- D. Clientless Access

Correct Answer: C



QUESTION 4

Scenario: An organization currently has three different web servers for accessing Japanese, French and English languagewebpages, and management has requested that a single URLbe used instead.This site also needs to meet these requirements:

Users should access one web page and URL for all languages.

One IP address should be used for all client connections.

Users should be automatically sent to the correct language-specific web content.

What should the Citrix Administrator configure on the NetScaler to accomplish all requirements?

- A. Content switching virtual server.
- B. Policy-based routing to send users to the correct resources.
- C. Content Filtering with language-based policies to detect each language.
- D. A Responder policy with Inon-addressablel load balancers to conserve IPs.

Correct Answer: A

QUESTION 5

Two StoreFront servers in an environment need to be addressed with a single URL. Which feature should a Citrix Administrator enable to meet this requirement?

- A. SSL vPN
- B. Load Balancing
- C. Integrated Caching
- D. ApplicationFirewall

Correct Answer: A

QUESTION 6

HDX Insight is used in a 500-user organization that has a single datacenter location with a single Internet service provider. Which form of Citrix NetScaler redundancy should a Citrix Administrator implement?

- A. LACP



- B. vRRP
- C. Clustering
- D. High availability

Correct Answer: D

QUESTION 7

What is required to configure a NetScaler Gateway cluster?

- A. Striped IP addresses
- B. Strict option is enabled
- C. Sticky option is enabled
- D. Enterprise or Platinum license

Correct Answer: C

QUESTION 8

At the onset of a XenDesktop 7.5 with NetScaler Gateway 10.5 proof-of-concept, users report they are unable to access desktop and server OS machines. Which configuration might be preventing users from accessing desktop and server OS machines?

- A. Single-hop DMZ with StoreFront
- B. Double-hop DMZ with StoreFront
- C. Single-hop DMZ with Web Interface
- D. Double-hop DMZ with Web Interface

Correct Answer: B

QUESTION 9

Which IP address must be unique on each node in a high availability configuration?

- A. virtual IP (vIP)
- B. Mapped IP (MIP)
- C. Subnet IP (SNIP)
- D. NetScaler IP (NSIP)



Correct Answer: B

QUESTION 10

Which two pieces of information are required to create a virtual server? (Choose two.)

- A. Port
- B. Protocol
- C. Subnet Mask
- D. Gateway Address

Correct Answer: AB

QUESTION 11

Scenario: Multiple virtual servers are configured in a NetScaler Gateway implementation. Corporate policy requires that an administrator restrict the number of users who can log on through each virtual server. What could the administrator specify to meet the needs of this scenario?

- A. Max Users in a session policy
- B. Max Users on the virtual server
- C. Max Connections on the virtual server
- D. Allowed users to logon in the Access Gateway Global Settings

Correct Answer: B

QUESTION 12

Scenario: A virtual server has been configured in the Content Switching node to provide multiple Web services using the full website path location. This website contains details that can only be displayed using a specific Web browser such as

Internet Explorer.

Which two actions must an administrator perform to ensure that users are informed of the browser requirements? (Choose two.)

- A. Configure Advanced Expression policies to determine the type of browser used.
- B. Create a backup server to display a website that informs users of the browser requirements.
- C. Configure a redirect URL to redirect users to a website that informs them of the browser requirements.



D. Configure a default policy to redirect users to a website that informs them of the browser requirements.

Correct Answer: AD

QUESTION 13

Scenario: An administrator needs to deliver production applications to users. Encryption must be maintained between the users' managed devices. Which two certificates could the administrator use to meet this requirement? (Choose two.)

- A. Public
- B. Private
- C. Trusted
- D. Intermediate

Correct Answer: AB

QUESTION 14

A Citrix Administrator receives information that users are having difficulty logging into the NetScaler Gateway Portal, where they access published resources, applications and desktops. What should the administrator configure on the NetScaler to view these events and identify the cause?

- A. Syslog
- B. ns.conf
- C. AppFlow
- D. nsconmsg

Correct Answer: A

QUESTION 15

Scenario: A Citrix Administrator is configuring a NetScaler Gateway virtual server and setting up monitoring for the StoreFront website availability. The administrator must minimize the resource utilization to StoreFront servers introduced by

the monitoring.

Which special parameter is required when creating a StoreFront monitor?



- A. Domain
- B. Site Path
- C. Store Name
- D. Custom Header

Correct Answer: C

QUESTION 16

Scenario: A company currently has a working production XenApp and NetScaler environment. An administrator recently implemented a test NetScaler environment and tried to duplicate the NetScaler Gateway configuration from the

production environment in the test environment. When the administrator configured the Secure Ticket Authority in the test environment, the Secure Ticket Authority showed a DOWN state. The administrator verified that the Secure Ticket

Authority state shows as UP on the production NetScaler.

What should the administrator check to troubleshoot the issue?

- A. NetScaler route table
- B. NetScaler Gateway Resources
- C. NetScaler Gateway Session Profiles
- D. Secure Ticket Authority server IP address

Correct Answer: A

QUESTION 17

Which component is required to allow users to launch Worx Home through a NetScaler Gateway?

- A. App Controller
- B. Citrix Receiver
- C. Citrix StoreFront
- D. NetScaler Gateway Plug-in

Correct Answer: C

QUESTION 18



A Citrix Administrator would like to use TCP Profiles to optimize NetScaler Gateway for ICA Access without affecting other load balanced traffic. The administrator should use the and bind it . (Choose the correct option to complete the sentence.)

- A. nstcp default profile; globally
- B. nstcp default XA XD profile; globally
- C. nstcp default profile; to the NetScaler Gateway virtual server
- D. nstcp default XA XD profile; to the NetScaler Gateway virtual server

Correct Answer: D

QUESTION 19

An administrator must configure SmartAccess policies within an existing NetScaler Gateway implementation. Which action must the administrator perform to meet the objectives of this implementation?

- A. Upgrade Citrix XenApp from 6.0 to 6.5.
- B. Upgrade Web Interface from 5.3 to 5.4.
- C. Configure a next hop NetScaler Gateway virtual server.
- D. Configure the mode of the NetScaler Gateway virtual server.

Correct Answer: D

QUESTION 20

While logged on to the NetScaler Configuration Utility, a Citrix Administrator notices that CPU utilization is higher than expected. What should the administrator configure to receive notification of this event in the future, when the administrator is NOT logged on?

- A. Auditing
- B. SNMP Trap
- C. SNMP view
- D. AppFlow Logging

Correct Answer: B

QUESTION 21



A Citrix Administrator needs to configure two-factor authentication for mobile devices with RSA tokens. Which two policies should the administrator configure to enable this feature? (Choose two.)

- A. SSL
- B. Local
- C. LDAP
- D. RADIUS
- E. TACACS

Correct Answer: CD

QUESTION 22

A company plans to deploy secure LDAP authentication to their existing NetScaler Gateway implementation. What should an administrator enable to support secure LDAP?

- A. SSL security on the virtual server
- B. Secure LDAP in a pre-authentication policy
- C. SSL security type in an authentication policy
- D. Secure LDAP in the NetScaler Gateway Global settings

Correct Answer: C

QUESTION 23

An administrator notices that a NetScaler high availability (HA) pair has changed the primary node several times in the past few days due to intermittent issues. What could the administrator configure to ensure that HA failures are alerted?

- A. SNMP
- B. Syslog
- C. Route Monitors
- D. Failover Interface Set

Correct Answer: A

QUESTION 24



Which two pieces of information are needed to create the Authentication Policy for RADIUS? (Choose two.)

- A. Base DN
- B. Secret Key
- C. SSLCertificate
- D. RADIUS User Group name
- E. IP address of the RADIUS server

Correct Answer: BE

QUESTION 25

Scenario: A recent security audit identified that communications between the NetScaler Gateway and the STA were NOT secure. A Citrix Administrator was asked to secure this communication. What must the administrator install as one of the steps to secure communications between the NetScaler Gateway and the STA?

- A. A root certificate on the NetScaler virtual server.
- B. A server certificate on the server running the STA.
- C. A server certificate from the STA server on the NetScaler virtual server.
- D. An HTTPS virtual server on the NetScaler to load balance STA servers.

Correct Answer: B

QUESTION 26

Scenario: A Citrix Administrator has implemented a remote access solution using NetScaler. The administrator is alerted with information indicating users attempting to access resources through NetScaler are unable to authenticate. How can the administrator identify whether the authentication process is the cause?

- A. Review the system log on the Domain Controller.
- B. Execute the `Insconmsg -d eventl` command on the NetScaler.
- C. Use the `lcat aaad.debugl` command on the NetScaler shell.
- D. Use the `lvi jvarjlogjauth error.logl` command to review saved events on the NetScaler shell.

Correct Answer: C

QUESTION 27



Scenario: A Citrix Administrator is configuring RSA as a two-factor authentication solution, using default settings on the NetScaler. While testing the configuration, the administrator notices that users cannot log on. The administrator should verify that traffic is allowed to flow over through the firewall to resolve this issue. (Choose the correct option to complete the sentence.)

- A. UDP port 1850
- B. TCP port 1812
- C. TCP port 1850
- D. UDP port 1812

Correct Answer: D

QUESTION 28

Which information is required to license a NetScaler vPX 1000?

- A. NSIP
- B. MAC address
- C. NetScaler host name
- D. Citrix License Server host name

Correct Answer: B

QUESTION 29

Scenario: For auditing requirements, NetScaler administrators are required to use their Active Directory accounts to log on to NetScaler. All NetScaler administrators belong to the NSAdmins Active Directory group. Which configuration must an administrator create in NetScaler to meet the requirements of the scenario?

- A. User accounts
- B. NSAdmins group
- C. Authorization policy
- D. Service Groups policy

Correct Answer: B

QUESTION 30



Which piece of information is needed by a Citrix Administrator to successfully run the XenMobile Deployment Wizard on the NetScaler Gateway?

- A. App Controller FQDN
- B. XenDesktop Controller
- C. Secure Ticketing Authority
- D. XenMobile Device Manager server

Correct Answer: A

[Latest 1Y0-253 Dumps](#)

[1Y0-253 Study Guide](#)

[1Y0-253 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.