



1Y0-371^{Q&As}

Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

Pass home 1Y0-371 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/1y0-371.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which XenMobile Windows Phone 8.1 policy should a Citrix Engineer configure in order to deploy Worx MDX apps to a Windows Phone 8.1 device?

- A. Enterprise Hub policy
- B. Exchange policy
- C. App Inventory policy
- D. Sideload Key policy

Correct Answer: A

QUESTION 2

Which two options must a Citrix Engineer enable in order to configure XenMobile auto- discovery for iOS and Android devices in a XenMobile Enterprise deployment? (Choose two.)

- A. Domain suffix
- B. FQDN for the enrollment load-balancing vServer
- C. Public SRV record
- D. XenMobile cluster node IDs

Correct Answer: AB

QUESTION 3

A Citrix Engineer notices that several devices in the XenMobile Console show up as Mobile Application Managed (MAM) only. What is a possible cause of this issue?

- A. The NetScaler Universal Access count was exceeded.
- B. Mobile Device Management (MDM) policies were NOT applied to the Delivery Group.
- C. A scheduling policy was NOT configured.
- D. The users selected "No" when asked to enroll their devices.

Correct Answer: A

QUESTION 4

Which database type is recommended for the database connection when configuring a XenMobile Server for the first time in a production deployment using the command-line interface?



- A. MySQL
- B. Microsoft SQL Server Express
- C. PostgreSQL
- D. Microsoft SQL Server

Correct Answer: A

QUESTION 5

Scenario: A Citrix Engineer prepares to deploy XenMobile Server, ShareFile StorageZone Controllers, and StoreFront as part of a XenMobile implementation. The engineer needs to ensure that the number of communication ports opened between the Demilitarized Zone (DMZ) and the internal network is kept to a minimum, and that unauthenticated traffic is NOT allowed through to the internal network. The engineer intends to achieve these objectives by channeling all traffic into the environment through NetScaler, which is placed in the DMZ.

Where should the engineer place the components listed below in order to meet the objectives stated in the scenario?
ShareFile StorageZone Controller XenMobile Server StoreFront

- A. Place all components on the internal network segment.
- B. Place the StorageZone Controllers in the DMZ and all other components on the internal network segment.
- C. Place the XenMobile Server in the DMZ and all other components on the internal network segment.
- D. Place StoreFront in the DMZ and all other components on the internal network segment.

Correct Answer: C

QUESTION 6

A Citrix Engineer receives an error message while wrapping a public application obtained from the Apple App store. What is a possible cause of the application failing to wrap?

- A. The application is already signed for App Store distribution.
- B. The Apple Developer certificate has expired.
- C. The engineer does NOT have an Apple Developer account.
- D. The engineer does NOT have an Apple Developer Enterprise account.

Correct Answer: A

QUESTION 7

A Citrix Engineer must delegate enrollment invitation management to Level 1 administrators.

What should the engineer do to accomplish this objective?



- A. Configure AAA groups on the NetScaler Gateway; allow only this group to access the console over port 4443.
- B. Create a local group on the XenMobile Server; allow only Level 1 administrators access to it.
- C. Configure a Delivery Group within the XenMobile Server; deploy the security policies only to the dedicated group of Level 1 administrators.
- D. Configure Role-based Access Control (RBAC); assign only the desired permissions to the Active Directory group where the Level 1 administrators reside.

Correct Answer: D

QUESTION 8

A Citrix Engineer, in the process of configuring XenMobile, launches the XenMobile Console for the first time and is presented with the wizard to continue the configuration.

Which two options could the engineer configure at this stage of the installation? (Choose two.)

- A. LDAP service account
- B. Database type
- C. Apple Push Notification service (APNs) certificate upload
- D. XenMobile Cluster configuration
- E. Primary DNS server

Correct Answer: AC

QUESTION 9

A Citrix Engineer is configuring access to a XenApp/XenDesktop environment.

Which file must the engineer define a relative path to within the XenMobile Server Console?

- A. default.htm
- B. config.xml
- C. web.config
- D. index.asp

Correct Answer: B

QUESTION 10

Scenario: A Citrix Engineer is experiencing issues deploying client certificates for NetScaler Gateway authentication to devices after configuring their Public Key Infrastructure (PKI) settings within the XenMobile Server. Which two sets of



logs could the engineer review to determine why the certificate is NOT being issued? (Choose two.)

- A. Worx Home logs
- B. XenMobile Server Debug Log File
- C. Certificate Authority Event Viewer
- D. NetScaler aaad.debug log

Correct Answer: BC

QUESTION 11

Which two XenMobile policies could a Citrix Engineer use to block the camera on an iOS device? (Choose two.)

- A. MDM Restriction policy
- B. MDX policy
- C. App Lock policy
- D. App Configuration policy

Correct Answer: AB

QUESTION 12

Which two XenMobile applications could be upgraded by a Citrix Engineer? (Choose two.)

- A. MDX applications
- B. Web and SaaS applications
- C. Public app store applications
- D. Enterprise applications
- E. Web link applications

Correct Answer: AD

QUESTION 13

Which certificate is required to configure ShareFile User Provisioning?

- A. xms.domain.com- server certificate
- B. Apple Push Notification service (APNs) certificate
- C. Third-party SSL Listener certificate



D. xms.domain.com - SAML certificate

Correct Answer: D

QUESTION 14

How can a Citrix Engineer require the installation of WorxMail for all users entitled to the application?

- A. Modify the Delivery Group configuration.
- B. Modify the application MDX policies.
- C. Modify the device exclusions.
- D. Modify the roles to which the application is published.

Correct Answer: A

QUESTION 15

Which three options must occur on the virtual server during the initial configuration of the Mobile Application Management (MAM) load-balancing virtual server? (Choose three.)

- A. The virtual server listens over port 8443.
- B. The virtual server listens over port 443.
- C. The virtual server requires SSL Session persistence.
- D. The virtual server requires CUSTOMSERVERID persistence.
- E. The "Load Balancing FQDN for MAM" must correspond to the FQDN specified during initial XenMobile Server installation.
- F. The "Load Balancing FQDN for MAM" must correspond to the internal FQDN for the IP address being used.

Correct Answer: ADE

QUESTION 16

A Citrix Engineer needs to unenroll an iOS mobile device previously assigned to a user and then reassign it to a new user with the least amount of device downtime.

Which action should the engineer take to ensure that the previous user's managed applications and data are NOT accessible by the new user?

- A. Full Wipe
- B. Device Revoke
- C. Selective Wipe



D. Container Lock

Correct Answer: C

QUESTION 17

Users are unable to complete device enrollment and the Mobile Application Management (MAM) portion of enrollment is failing.

Which two steps could a Citrix Engineer take to troubleshoot this issue? (Choose two.)

- A. Verify that the MAM load-balancing hostname matches the XenMobile Server hostname.
- B. Verify the NetScaler Gateway callback URL.
- C. Review the aaad.debug file.
- D. Verify that the NetScaler Gateway certificate is uploaded to the XenMobile Server.

Correct Answer: AC

QUESTION 18

Scenario: A Citrix Engineer deployed new iOS applications during an IT maintenance window. While existing iOS applications remain unaffected, users are reporting they have NOT received the recently pushed new applications.

What is the possible cause of this issue?

- A. APNS ports have been blocked.
- B. Enrollment ports have been blocked.
- C. The VPP license count has been exceeded.
- D. The connection between XenMobile Device Manager and App Controller is down.

Correct Answer: A

QUESTION 19

Scenario: A Citrix Engineer plans to use XenMobile NetScaler Connector to add ActiveSync filtering to an existing Exchange load-balancing virtual server. The engineer must ensure:

-Enrolled devices that are out of compliance with the configured rule-sets are blocked from accessing resources.

-

Devices that have NOT yet been enrolled should remain unimpacted.

A.



Static: Permit Mode

B.

Static + XMS: Permit Mode

C.

Static + XMS: Block Mode

D.

Static: Block Mode

Which policy settings should the engineer implement to achieve these requirements?

Correct Answer: B

QUESTION 20

What are three reasons why a Citrix Engineer would tag a device? (Choose three.)

A. Enrollment invitations

B. Application deployment

C. Dashboard reporting

D. Policy deployment

E. Role-based Access Control

Correct Answer: BCD

QUESTION 21

A Citrix Engineer needs to push native email profiles and configurations to user devices.

Which XenMobile macros could the engineer use to automate email provisioning of native email clients on user devices?

A. {user.username} {user.mail}

B. (User.username) (User.mail)

C. %user.username %user.mail

D. #user.username #user.mail

Correct Answer: A



QUESTION 22

Which three NetScaler features must a Citrix Engineer configure in order for XenMobile NetScaler Connector to properly function? (Choose three.)

- A. Content Switching
- B. Integrated Caching
- C. HTTP Callout
- D. Responder
- E. App Flow

Correct Answer: BCD

QUESTION 23

Scenario: Several users have been reporting that they have been unable to access corporate email for several minutes. A Citrix Engineer needs to verify that the XenMobile NetScaler Connector (XNC) service is running. XNC was set up using default values.

Which URL could the engineer use to verify that the service is running?

- A. <http://services/Version>
- B. <https://services/Version>
- C. <https://ActiveSync/Version>
- D. <http://services/ActiveSync/Version>

Correct Answer: D

QUESTION 24

Which configurations must a Citrix Engineer make to integrate XenMobile with XenApp/XenDesktop for a customer whose users access their environment from internal and external network locations?

- A. Add the XenMobile Server to the list of Secure Ticket Authorities (STAs) on StoreFront or Web Interface.
- B. Add Secure Ticket Authorities (STAs) for the XenApp/XenDesktop environment to the list of STAs on the NetScaler Gateway vServer being used for XenMobile.
- C. Configure the XenMobile Server as a Delivery Controller within the StoreFront or Web Interface configuration.
- D. Configure a single NetScaler Gateway for both XenMobile traffic and existing XenApp/XenDesktop traffic.

Correct Answer: B



QUESTION 25

What must a Citrix Engineer do to prevent XenMobile Mail Manager from blocking WorxMail traffic?

- A. Set the regex expression "WorxMail.*".
- B. Update the WorxMail MDX policy.
- C. Configure Mobile Service Provider in XenMobile Mail Manager.
- D. Define User or Group ID in XenMobile Mail Manager.

Correct Answer: A

QUESTION 26

Scenario: A Citrix Engineer needs to provide access from WorxWeb to internal corporate HTTP websites through an internal proxy server. The engineer has configured Single Sign-On to web applications on the NetScaler.

What are two ways that the engineer could ensure that users are able to access the websites without being prompted to authenticate more than once? (Choose two.)

- A. Disable Secure browse mode in the NetScaler session policy.
- B. Set WorxWeb Network access to "Tunneled to internal network".
- C. Set WorxWeb VPN mode to "Secure browse".
- D. Add the website to the allowed website list for WorxWeb.

Correct Answer: BC

QUESTION 27

What happens if a Citrix Engineer allows an Apple Developer certificate to expire?

- A. iOS MDX applications fail to launch.
- B. Associated Apple Unique Device Identifiers (UDIDs) must be re-entered within the Apple Developer Program portal.
- C. iOS device enrollment fails to occur.
- D. Apple Push Notification service (APNs) notifications fail to occur.

Correct Answer: A

QUESTION 28

Scenario: A user has lost permission to WorxMail and the application has been uninstalled. However, the user can still access the Worx Store. Which two sets of logs should a Citrix Engineer gather in order to help diagnose this issue? (Choose two.)



- A. XenMobile Server log
- B. NetScaler log
- C. WorxMail log
- D. Worx Home log

Correct Answer: AD

QUESTION 29

In which way does implementing Worx PIN improve the user experience while maintaining Enterprise security?

- A. It streamlines the user experience when the Active Directory password is changed.
- B. It allows the user to use a unique, synchronized PIN for device and application access without modifying corporate password policy.
- C. It reduces the number of times the user has to authenticate to launch managed applications.
- D. It reduces the complexity of daily password entry without modifying corporate password policy.

Correct Answer: D

QUESTION 30

Scenario: A Citrix Engineer needs to publish an application only to employee-owned devices. Some employees may have employee-owned and corporate-owned devices.

What could the engineer create on the XenMobile Server to meet the needs of this scenario?

- A. a deployment rule
- B. a device exclusion
- C. a workflow
- D. an automated action

Correct Answer: A

[1Y0-371 VCE Dumps](#)

[1Y0-371 Study Guide](#)

[1Y0-371 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.