

## 1Z0-1043-20<sup>Q&As</sup>

Oracle Cloud Platform Application Development 2020 Specialist

### Pass Oracle 1Z0-1043-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-1043-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

You have all the credentials to create a cluster. You create a cluster with Quick Create. Which three are created by default in a multi-AD region?

- A. VCN network
- B. Kubernetes load-balanced subnets
- C. Three worker nodes
- D. Deployed Applications
- E. Node pool with subnet

Correct Answer: ACD

---

## QUESTION 2

Which services are supported by OCI Service Broker?

- A. Object Storage, Autonomous Data Warehouse, Oracle Streaming Service, and Oracle Functions
- B. Object Storage, Autonomous Transaction Processing, Oracle Functions, and Autonomous Data Warehouse
- C. Autonomous Transaction Processing, Autonomous Data Warehouse, Oracle Streaming Service, and Oracle Vault
- D. Object Storage, Autonomous Transaction Processing, Autonomous Data Warehouse, and Oracle Streaming Service

Correct Answer: D

<https://github.com/oracle/oci-service-broker>

---

## QUESTION 3

You verified that the image has been successfully pushed to Oracle Cloud Infrastructure Registry. Which artifact enables Kubernetes to pull an image from Oracle Cloud Infrastructure Registry when deploying a Load-Balanced application to a cluster?

- A. Kube-Proxy
- B. Kubernetes secret
- C. Kubernetes pods
- D. Worker Nodes

Correct Answer: B

---

**QUESTION 4**

Which two capabilities are provided by the data offline and sync features?

- A. improved mobile application performance by caching data locally on the device rather than always making remote service calls to Oracle Mobile Hub
- B. mobile application access to data from any remote web service, including but not limited to, Oracle Mobile Hub
- C. automatic caching of data from an on-premises solution to the database API within Oracle Mobile Hub
- D. mobile application access to locally cached data while the device is disconnected

Correct Answer: AC

<https://docs.oracle.com/en/cloud/paas/mobile-cloud/mcsua/data-offline-and-sync.html#GUID-E870788AC4AD-4DDA-BFA6-1B8E9BBF7E33>

---

**QUESTION 5**

Which statement is true about designing custom APIs in Oracle Mobile Hub?

- A. Designing custom APIs entails defining the Node.js implementation in pseudocode.
- B. You may build the REST endpoints of a custom API through a RAML file or via the Endpoints tab on the Custom API page, but you should not mix these approaches.
- C. Custom endpoints built in RAML cannot be edited outside of the Oracle Mobile Hub environment
- D. Custom APIs can be shared across mobile backends through the API catalog.

Correct Answer: B

---

**QUESTION 6**

You can configure SSL between clients and the load balancer used to access your Oracle WLS for OCI domain. There is an option Prepare Load Balancer for https that you can select when provisioning the domain. If you did not select this option when creating the domain, then you must perform manual tasks to configure SSL. Which task is not required to be performed?

- A. Create an HTTPS Listener for the load balancer.
- B. Add a certificate to the load balancer.
- C. Update the App Gateway for HTTPS (if the domain uses Oracle Identity Cloud Service).
- D. Allow ingress traffic in port 80 only on a security list for the load balancer.

Correct Answer: D

<https://docs.oracle.com/en/cloud/paas/weblogic-cloud/user/configure-ssl-domain-appendix.html#GUIDB8D53494-DBD1-401B-9C7D-9961F69D8A65>

---

**QUESTION 7**

Which two parameters are passed to the Docker Login Command to access OCI Registry from Docker CLT?

- A. tenancyname/OCUsername
- B. Auth Token for password
- C. password
- D. tenancyname

Correct Answer: AC

---

**QUESTION 8**

What two options are available for securing your backend?

- A. HTTPS Client Authentication
- B. HTTP Digest Authentication
- C. OAuth Token Request
- D. HTTP Basic Authentication
- E. Form-Based Authentication

Correct Answer: CD

---

**QUESTION 9**

Which two measurements to specify the level of effort of an issue are available in the issue definition in Visual Builder Studio to help with Sprint planning?

- A. cyclomatic complexity points
- B. time in days
- C. story points
- D. lines of code

Correct Answer: A

---

**QUESTION 10**

When you create a domain with Oracle WLS for OCI, you provide the vault endpoint URL and the key that you used to encrypt the passwords for the domain. If provisioning is not successful and you find an error " unable to get decrypt

credential" in your Terraform job logs in Resource Manager, which is not the probable cause?

- A. Policies required for vault use are not set up correctly.
- B. Vault endpoint is not correct.
- C. WebLogic Server administration password is inconsistent with WebLogic password policy.
- D. Key or Secret OCID is not correct.

Correct Answer: D

[1Z0-1043-20 PDF Dumps](#)

[1Z0-1043-20 VCE Dumps](#)

[1Z0-1043-20 Practice Test](#)