



300-206^{Q&As}

Implementing Cisco Edge Network Security Solutions

Pass Cisco 300-206 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/300-206.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Layer 2 security feature validates ARP packets?

- A. DAI
- B. DHCP server
- C. BPDU guard
- D. BPDU filtering

Correct Answer: A

QUESTION 2

Which statement about the Cisco Security Manager 4.4 NAT Rediscovery feature is true?

- A. It provides NAT policies to existing clients that connect from a new switch port.
- B. It can update shared policies even when the NAT server is offline.
- C. It enables NAT policy discovery as it updates shared policies.
- D. It enables NAT policy rediscovery while leaving existing shared policies unchanged.

Correct Answer: D

QUESTION 3

When a Cisco ASA is configured in multiple context mode, within which configuration are the interfaces allocated to the security contexts?

- A. each security context
- B. system configuration
- C. admin context (context with the "admin" role)
- D. context startup configuration file (.cfg file)

Correct Answer: B

QUESTION 4

The Cisco ASA must support dynamic routing and terminating VPN traffic. Which three Cisco ASA options will not support these requirements? (Choose three.)

- A. transparent mode



- B. multiple context mode
- C. active/standby failover mode
- D. active/active failover mode
- E. routed mode
- F. no NAT-control

Correct Answer: ABD

QUESTION 5

An engineer has successfully captured data on an ASA (ip address 10.10.10.1) and wants to download the file to analyze offline. The filename is capin. Which option must the engineer enter to accomplish this task?

- A. <https://10.10.10.1/admin/capture/capin>
- B. <http://10.10.10.1/admin/capture/capin/pcap>
- C. <https://10.10.10.1/admin/capture/capin/pcap>
- D. <http://10.10.10.1/admin/capture/capin>

Correct Answer: C

QUESTION 6

When a Cisco ASA is configured in multicontext mode, which command is used to change between contexts?

- A. `changeto config context`
- B. `changeto context`
- C. `changeto/config context change`
- D. `changeto/config context 2`

Correct Answer: B

QUESTION 7

What is the maximum number of servers configurable in a Cisco Prime Infrastructure high availability implementation?

- A. 2 servers
- B. 4 servers
- C. 8 servers



D. 16 servers

Correct Answer: A

QUESTION 8

Which two user privileges does ASDM allow engineer to create? (Choose two)

A. Full access

B. admin

C. read-write

D. read-only

E. write-only

Correct Answer: CE

QUESTION 9

Which benefit of using centralized management to manage a Cisco IronPort ESA is true?

A. It reduces licensing cost

B. It requires no initial setup

C. It requires a light client on managed devices

D. It reduces administration time

Correct Answer: D

QUESTION 10

Drag and drop the syslog message examples on the left onto the message security level on the right.

Select and Place:



ASA-1-130827	inforrnational message
ASA-2-639214	warning message
ASA-4-415698	alert message
ASA-6-259266	critical message

Correct Answer:

	ASA-6-259266
	ASA-4-415698
	ASA-1-130827
	ASA-2-639214

QUESTION 11

You are the administrator of a multicontext transparent-mode Cisco ASA that uses a shared interface that belongs to more than one context. Because the same interface will be used within all three contexts, which statement describes how you will ensure that return traffic will reach the correct context?

- A. Interfaces may not be shared between contexts in routed mode.
- B. Configure a unique MAC address per context with the no mac-address auto command.
- C. Configure a unique MAC address per context with the mac-address auto command.
- D. Use static routes on the Cisco ASA to ensure that traffic reaches the correct context.

Correct Answer: C

QUESTION 12

An engineer is hardening the management plane for an ASA. Which protocol is affected by this hardening?

- A. BGP
- B. IKE
- C. ICMP



D. ARP

Correct Answer: C

[300-206 PDF Dumps](#)

[300-206 Practice Test](#)

[300-206 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.