

# 100% Money Back Guarantee

**Vendor:** Cisco

**Exam Code:** 640-760

**Exam Name:** Supporting Cisco Service Provider IP NGN Operations (SSPO)

**Version:** Demo

**QUESTION 1**

According to the ITIL® v3 framework, what triggers an incident?

- A. whenever a severity 3 incident is closed
- B. when the problem is identified as urgent
- C. when a problem is discovered during a change window
- D. when an outage is called into a service center

**Correct Answer:** D

**QUESTION 2**

According to the ITIL® v3 framework, what is the primary reason for implementing SLAs?

- A. Ensure accurate measurement of response times.
- B. Establish an open line of communication between the customer and the service provider
- C. Reduce network latency.
- D. Provide a legal contract between the customer and the service provider.

**Correct Answer:** D

**QUESTION 3**

Each syslog message has a numerical severity level assigned to generate error messages about software or hardware malfunctions. Which of these messages has the highest numeric severity level?

- A. Error
- B. Emergency
- C. Debug
- D. Critical
- E. Alert

**Correct Answer:** C

**QUESTION 4**

Which three of these methods can you use to back up a configuration running Cisco IOS Software Release 12.2 Mainline? (Choose three)

- A. SNMP
- B. SFTP
- C. TFTP
- D. KRON
- E. SSH

**Correct Answer:** ACD

**QUESTION 5**

A router is causing problems in the network and you want to capture as much information as you can before you manually reload or power-cycle the router. What command would you type at the CLI of the router to capture information that would be lost when the router is rebooted?

- A. show crashinfo
- B. show syslog
- C. show tech-support
- D. show stacks
- E. show memory

**Correct Answer:** C

**QUESTION 6**

Which three steps are best practices in accurately documenting a network? (Choose three).

- A. Document separate Layer 2 and Layer 3 topologies.
- B. Document Layer 3 topology to include all switches and routers.
- C. Clearly document the port identifiers on all of the links.
- D. Clearly depict different routing domains with appropriate information such as the routing protocol and process number.
- E. Avoid defining router-id commands and loopbacks in the router label.
- F. Use connectivity details of all layers of the OSI model in diagrams.

**Correct Answer:** ACD

**QUESTION 7**

Which three steps would you use to troubleshoot a performance-related problem in the network core? (Choose three.)

- A. define problem
- B. analyze problem
- C. determine affected users
- D. create action plan
- E. verify service-level requirements

**Correct Answer:** ABD

**QUESTION 8**

Which two steps are best practices to be followed while documenting a network. (Choose two.)

- A. Use proper icons for different devices in the network.
- B. Use different colors and widths for denoting different links of different bandwidth.
- C. Use same icons for all types of routers and switches in the network.
- D. Avoid defining the router-id in the router label.
- E. Use connectivity details of all layers of the OSI model in diagrams.

**Correct Answer:** AB

**QUESTION 9**

What is the advantage of using a passive monitoring technique?

- A. does not require continuous measurement of traffic types
- B. measures application-specific parameters per traffic classes
- C. identifies issues and bottlenecks before they occur
- D. no interference with live traffic

**Correct Answer:** D

**QUESTION 10**

The command below was executed on a Cisco 12000 Series Router running Cisco IOS XR. Which statement is true about the output of the command?

- A. 71.44.1.66 is an IP address local to the router.
- B. OSPF is not running on this router.
- C. There are no static routes in the routing table.
- D. The last route entry for Loopback causes routing loops

**Correct Answer:** C

**QUESTION 11**

According to the ITIL® v3 framework, after an incident is resolved and the root cause identified, what should be the next step?

- A. Enter the problem in the problem management system and close the ticket.
- B. Use functional escalation to escalate root cause analysis.
- C. Update the closure categorization for the incident.
- D. Record the root cause analysis in the known error database to identify and resolve potential incidents.

**Correct Answer:** D

**QUESTION 12**

While looking at a Cisco CRS syslog, you see this message:

%ROUTING-FIB-1-FIBTBLINIT

Based on the message alone, should you consider it a high-priority message?

- A. Yes, because router syslog messages require immediate action.
- B. Yes, because the severity of the syslog message requires immediate action.
- C. No, because router syslog messages are informational only.
- D. No, because the severity of the syslog message is informational only.

**Correct Answer:** B


**QUESTION 13**

According to the ITIL® v3 framework, how does problem management contribute to network availability?

- A. by maintaining optimal levels of service quality
- B. by developing and documenting workarounds to known problems
- C. by providing inputs for calculating SLA penalties
- D. by restoring normal service operation as quickly as possible

**Correct Answer:** B

**QUESTION 14**



Refer to the Gigabit Ethernet link in the exhibit. Which of the following IP address schemes would allow for IP reachability across this link?

- A. Router A with IP 10.1.1.0/31 to Router B with IP 10.1.1.1/31
- B. Router A with IP 10.1.1.1/31 to Router B with IP 10.1.1.2/31
- C. Router A with IP 10.1.1.7/30 to Router B with IP 10.1.1.8/30
- D. Router A with IP 10.1.1.255/31 to Router B with IP 10.1.1.253/31

**Correct Answer:** A

**QUESTION 15**

Which one of these items is used to define key elements for successfully building obtainable service levels?

- A. critical success factors
- B. key performance indicators
- C. key quality indicators
- D. metrics

**Correct Answer:** A

**QUESTION 16**

What action should you take if the NMS is receiving temperature alarms from a router?

- A. Check the fan tray to ensure that all of the fans are functioning properly.
- B. Check the line card to ensure that it is not generating excessive heat.
- C. Check the interfaces to ensure that they are not generating excessive heat.
- D. Check the grounding wire to ensure that it is attached properly.

**Correct Answer:** A

**QUESTION 17**

According to the ITIL® v3 framework, what five characteristics can you use to identify effective KPIs? (Choose five.)

- A. specific
- B. agreed
- C. realistic
- D. budget-based
- E. heuristic
- F. time-based
- G. measurable
- H. Boolean

**Correct Answer:** ABCFG

**QUESTION 18**

Which one of the following statements is true for syslog messages?

- A. A syslog packet is limited to 1024 bytes.
- B. Syslog messages use UDP port 520.
- C. At the application layer, syslog sends acknowledgments.
- D. Syslog is a peer-to-peer protocol.

**Correct Answer:** A

**QUESTION 19**

You are responsible for monitoring the IP network. You have noticed since the beginning of your shift that a particular interface on a network switch has been flapping, and it has finally gone down. You open an incident ticket. According to the ITIL® v3 framework, what should you do to determine if it is a recurring issue?

- A. Use Telnet to connect to the device and troubleshoot.
- B. Ping the device to verify connectivity.
- C. Perform a search of the known-error database.
- D. Clear the alarm from the event system to see if it recurs.
- E. Clear the interface counters and see if additional errors are incurred

**Correct Answer:** C

**QUESTION 20**

Which of these items enables an agent to notify the management station of significant events by sending an unsolicited message?

- A. syslog message
- B. SNMP trap
- C. managed object code
- D. RMON notification

**Correct Answer:** B

#### QUESTION 21

When connecting to the console port, you see this message:

%SYS-2-MALLOCFAIL: Memory allocation of 1028 bytes failed from 0x6015EC84, Pool Processor, alignment 0

What two situations could cause this message? (Choose two.)

- A. The router does not have the minimum amount of I/O memory to support certain interface processors.
- B. The memory has fragmented into such small pieces that the router cannot find a usable available block.
- C. The router has temporarily or permanently used all available memory.
- D. The router ran out of "fast" memory, and will use its main DRAM instead.

**Correct Answer:** BC

#### QUESTION 22

An outage occurs in location "A" due to a router crash. This is not the first time that the router has had this problem. In fact, it crashed three times within the past 20 days. According to the ITIL® v3 framework, what type of record should be created to resolve this issue?

- A. incident ticket
- B. change ticket
- C. service ticket
- D. problem ticket

**Correct Answer:** D

#### QUESTION 23

In troubleshooting a network incident, you found that the incident is the result of a known error. According to the ITIL® v3 framework, which of the following is an appropriate way to resolve the issue?

- A. Understand the business case and get approval.
- B. Fix the incident and open a request for change immediately.
- C. Update the incident report with closure categorization.
- D. Test it in the development environment.

**Correct Answer:** B

#### QUESTION 24

According to the ITIL® v3 framework, how would you prioritize an incident ticket?

- A. based on the impact and urgency
- B. based on the impact of the incident
- C. based on customer urgency
- D. based on the business unit

**Correct Answer:** A

**QUESTION 25**

Which of these Microsoft Windows commands will allow you to look up the hostname for a given IP address?

- A. ping -a 10.1.1.1
- B. netstat -ano
- C. tracert
- D. net start \\10.1.1.1
- E. ipconfig -i 10.1.1.1

**Correct Answer:** A

**QUESTION 26**

According to the ITIL® v3 framework, what are two possible benefits of generating a detailed root cause analysis using chronological timelines? (Choose two.)

- A. helps to identify the number of problems opened
- B. identifies process deficiencies and breakdowns
- C. identifies staffing, skills, and expertise
- D. identifies SLA risk fulfillment

**Correct Answer:** BC

**QUESTION 27**

According to the ITIL® v3 framework, when an issue is reported to a service desk, which system is it recorded in?

- A. incident management system
- B. problem management system
- C. availability management system
- D. change management system
- E. performance management system

**Correct Answer:** A

**QUESTION 28**

A customer calls complaining about the level of service being received. The customer produces a log showing service-level measurements that were collected over the past week. Which three questions should be asked at a minimum in order to assess the validity of the claim? (Choose three.)

- A. Who took the measurements?
- B. How were the measurements taken?
- C. Why were the measurements taken?
- D. Are the measurements statistically relevant?
- E. What were the measurements taken?

**Correct Answer:** BDE

**QUESTION 29**

What does the log message "%IPNAT-6-DELETED:" indicate?

- A. A Network Address Translation has been lost, requiring immediate action.
- B. An unauthorized user possibly attempted to gain access.
- C. The message is for information only and requires no further action.
- D. A port on the device has been administratively shut down, requiring no further action

**Correct Answer:** C

**QUESTION 30**

```
#!/bin/sh
```

```
HOSTNAME=`head -n1 /etc/hostname.hme0`  
LAST_IP_OCT=`grep loghost /etc/hosts|awk '{print $1}'|cut -d. -f4`  
ifconfig hme0:1 10.1.0.$LAST_IP_OCT netmask 255.255.0.0 up  
echo "${HOSTNAME}a" > /etc/hostname.hme0:1  
echo "10.1.0.$LAST_IP_OCT ${HOSTNAME}a">>/etc/hosts  
echo "10.1.0.0 255.255.0.0" >> /etc/netmasks  
echo "${HOSTNAME}a 10.1.0.$LAST_IP_OCT\n"
```

Refer to the exhibit. The following is a shell script for a UNIX-based server. Which three of these files on the UNIX server will be updated or created when this script is executed? (Choose three.)

- A. /etc/hostname.hme0
- B. /etc/hosts
- C. /etc/hostname.hme0:1
- D. /etc/netmasks
- E. /10.1.0.\$LAST\_IP\_OCT
- F. /etc/loghost

**Correct Answer:** BCD

**QUESTION 31**

According to best practices, what are three reasons for escalating a ticket? (Choose three.)

- A. immediate escalation based on severity
- B. when automated escalation does not occur within prescribed time frame
- C. management escalation due to business reasons
- D. customer escalation because customer feels that they are very important
- E. sales team escalation based on potential for future business

**Correct Answer:** ABC

**QUESTION 32**

According to the ITIL® v3 framework, what is the nature of the method used to escalate an issue that is very serious in nature or an issue that could potentially require an excessive amount of time to resolve?

- A. both hierarchical and functional
- B. both conceptual and procedural
- C. both hierarchical and procedural
- D. both conceptual and functional

**Correct Answer:** A

**QUESTION 33**

How often should device configurations be backed up? (Choose two.)

- A. at predetermined intervals



- B. at intervals specified in the SLA
- C. at daily intervals
- D. when disk space is full
- E. when a configuration change is detected

**Correct Answer:** AE

**QUESTION 34**

The command logging trap informational instructs a device to perform which of these actions?

- A. Log only messages with a severity of 0-6.
- B. Send syslog messages as traps.
- C. Send informational-only SNMP traps.
- D. Log all messages to the destination server.

**Correct Answer:** A

**QUESTION 35**

A "device unreachable" event has been detected by the NMS. The NMS has also performed automated routines and determined that no interfaces are reachable (routed or directly connected).

The last few log entries stored on the logging server for this device are as follows:

```
Mar 31 04:12:01 10.13.64.73: *Mar 31 07:12:01.112 EDT: %SYS-5-CONFIG_I: Configured from memory by co
Mar 31 04:13:14 10.13.64.73: *Mar 31 07:13:13.188 EDT: %OSPF-5-ADJCHG: Process 62, Nbr 11.162.0.253
Neighbor Down: Dead timer expired
Mar 31 04:13:26 10.13.64.73: *Mar 31 07:13:25.620 EDT: %C6KENV-4-PSFANFAIL: the fan in power supply 1
Mar 31 04:13:26 10.13.64.73: *Mar 31 07:13:25.828 EDT: %OSPF-5-ADJCHG: Process 62, Nbr 11.162.0.253
Loading Done
Mar 31 04:15:56 10.13.64.73: *Mar 31 07:15:56.120 EDT: %C6KENV-4-PSFANFAIL: the fan in power supply 2
```

What is the most probable cause of the outage?

- A. The device overheated, causing a system shutdown.
- B. An unauthorized change was made, which caused the outage.
- C. Routing flaps are causing the device to become unreachable.
- D. An OSPF dead timer has caused the device to lose its adjacency.

**Correct Answer:** A

**QUESTION 36**

What tool generates synthetic traffic to measure network performance?

- A. RMON
- B. IP SLA
- C. SNMP
- D. NetFlow

**Correct Answer:** B

**QUESTION 37**

What is an incremental backup?

- A. a backup of all files that have changed since the last full backup
- B. a complete backup of all files on a particular partition
- C. a backup of all files at set increments of time

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !



- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.