

ACMP_6.3^{Q&As}

Aruba Certified Mobility Professional 6.3

Pass Aruba ACMP_6.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/acmp-6-3.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The screen captures above show the 802.1X authentication profile and AAA profile settings for a VAP.

AAA Profile > default

Show Reference

Save As

Reset

Initial role	logon
MAC Authentication Default Role	guest
802.1X Authentication Default Role	employee
L2 Authentication Fail Through	<input type="checkbox"/>
User idle timeout	<input type="checkbox"/> Enable seconds <input type="text"/>
RADIUS Interim Accounting	<input type="checkbox"/>
User derivation rules	--NONE--
Wired to Wireless Roaming	<input checked="" type="checkbox"/>
SIP authentication role	--NONE--
Device Type Classification	<input checked="" type="checkbox"/>
Enforce DHCP	<input type="checkbox"/>

802.1X Authentication Profile > default

Show Reference

Save As

Reset

Basic Advanced

Max authentication failures	<input type="text" value="0"/>
Enforce Machine Authentication	<input checked="" type="checkbox"/>
Machine Authentication: Default Machine Role	guest
Machine Authentication: Default User Role	guest
Reauthentication	<input type="checkbox"/>
Termination	<input type="checkbox"/>
Termination EAP-Type	<input type="checkbox"/> eap-tls <input type="checkbox"/> eap-peap
Termination Inner EAP-Type	<input type="checkbox"/> eap-mschapv2 <input type="checkbox"/> eap-gtc

If machine authentication fails and user authentication fails, which role will be assigned?

- A. Employee
- B. Guest

- C. Captive Portal
- D. Logon
- E. No role will be assigned

Correct Answer: E

QUESTION 2

ip access-list session anewone user network 10.1.1.0 255.255.255.0 any permit user host 10.1.1.1 any deny user any any permit

Referring to the above portion of a Mobility Controller configuration file, what can you conclude? (Choose two)

- A. This is a session firewall policy.
- B. This is an extended Access Control List (ACL).
- C. Any traffic going to destination 10.1.1.1 will be denied.
- D. Any traffic going to destination 10.2.2.2 will be denied.
- E. Any traffic going to destination 172.16.100.100 will be permitted.

Correct Answer: AE

QUESTION 3

Which of the following describes a Remote AP provisioned in "Split-Tunnel" Forwarding mode?

- A. Local user traffic first goes to the controller and is then spilt back to the local network.
- B. All data and control traffic goes to the controller unsecured.
- C. The user role must have a "Permit" statement in order to locally bridge the traffic.
- D. The user role must have a "route src-nat" statement to locally bridge the traffic.
- E. The RAP uses PAPI to send data traffic to the controller.

Correct Answer: D

QUESTION 4

When configuring split tunnel mode on a Remote AP (RAP) where is the routing function for the split tunnel defined?

- A. On the IP routing tab in the configuration screen.
- B. On the AP provisioning screen.

- C. In the RAP static routing tables
- D. In the Firewall policy
- E. In the RAP whitelist

Correct Answer: D

QUESTION 5

Which method is NOT supported to provision an Aruba campus AP?

- A. Telnet directly to AP
- B. SSH to the AP's controller
- C. Web interface to the AP's controller
- D. Console to AP
- E. CLI on controller

Correct Answer: A

QUESTION 6

Aruba pair of 3200XM controllers are licensed to their maximum and are configured as a VRRP pair. Each controller terminates 24 APs. One of the controllers fails. How many of the APs from the failed controller can fail over to the remaining controller?

- A. 8
- B. 16
- C. 32
- D. 48
- E. 96

Correct Answer: A

QUESTION 7

The screen captures above show the 802.1X authentication profile and AAA profile settings for a VAP.

AAA Profile > default

Show Reference

Save As

Reset

Initial role	logon
MAC Authentication Default Role	guest
802.1X Authentication Default Role	employee
L2 Authentication Fail Through	<input type="checkbox"/>
User idle timeout	<input type="checkbox"/> Enable seconds <input type="text"/>
RADIUS Interim Accounting	<input type="checkbox"/>
User derivation rules	--NONE--
Wired to Wireless Roaming	<input checked="" type="checkbox"/>
SIP authentication role	--NONE--
Device Type Classification	<input checked="" type="checkbox"/>
Enforce DHCP	<input type="checkbox"/>

802.1X Authentication Profile >

default

Show Reference

Save As

Reset

Basic **Advanced**

Max authentication failures	<input type="text" value="0"/>
Enforce Machine Authentication	<input checked="" type="checkbox"/>
Machine Authentication: Default Machine Role	guest
Machine Authentication: Default User Role	guest
Reauthentication	<input type="checkbox"/>
Termination	<input type="checkbox"/>
Termination EAP-Type	<input type="checkbox"/> eap-tls <input type="checkbox"/> eap-peap
Termination Inner EAP-Type	<input type="checkbox"/> eap-mschapv2 <input type="checkbox"/> eap-gtc

If machine authentication passes and user authentication fails, which role will be assigned?

- A. employee
- B. guest
- C. contractor
- D. logon
- E. no role is assigned

Correct Answer: B

QUESTION 8

What is the maximum number of remote APs supported by a 3600 controller?

- A. 512
- B. 1024
- C. 128
- D. 256
- E. 2048

Correct Answer: A

QUESTION 9

Exhibit: Referring to the above screen capture, if an administrator desires to change a specific AP into a Spectrum Monitor without assigning the AP to a new group, which menus could be used?

WIZARDS

AP

Controller

Campus WLAN

Remote AP

WIP

AirWave

NETWORK

> **Controller**

VLANs

Ports

Uplink

IP

SECURITY

Authentication

Access Control

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Bandwidth Calculator

Threshold

ADVANCED SERVICES

Redundancy

IP Mobility

Stateful Firewall

External Services

VPN Services

Wired Access

All Profiles

A. Network > Controller

B. Wireless > AP Configuration

- C. Wireless > AP Installation
- D. Advanced Services > Wireless
- E. Wizards > WIP Wizard

Correct Answer: B

QUESTION 10

In a campus environment, where are encryption keys sent or stored when users roam between tunneled mode APs on the same controller using 802.1X?

- A. sent to the new AP via GRE
- B. sent to the new AP via IPsec
- C. stored on the controller
- D. stored on the RADIUS server
- E. original AP sends keys to new AP

Correct Answer: C

QUESTION 11

An administrator is setting up a factory default controller. No new AP groups were created. When adding a WLAN SSID in the Campus WLAN wizard what AP group is available?

- A. The air-monitors AP group
- B. The logon AP group
- C. The default AP group
- D. The initial AP group
- E. The Spectrum AP group

Correct Answer: C

QUESTION 12

Which describe "roles" as used on Aruba Mobility Controllers? (Choose two)

- A. Roles are assigned to users.
- B. Roles are applied to interfaces.
- C. Policies are built from roles.

D. A user can belong to only one role at a time.

E. Roles are a set of authentication rules

Correct Answer: AD

QUESTION 13

An Aruba controller can be accessed with which CLI based remote access methods? (Choose two)

A. RSH

B. Telnet

C. SSH

D. SFTP

E. SCP

Correct Answer: BC

QUESTION 14

Which of the following configurations can accept a VLAN pool? (Choose two)

A. Trunk native VLAN

B. Virtual AP profile

C. User Role

D. Server derived role

E. FW Policies

Correct Answer: BC

QUESTION 15

ip access-list session anewone user network 10.1.1.0 255.255.255.0 any permit user any any permit host 10.1.1.1 host 10.2.2.2 any deny

A user sends a frame with the following attributes:

Source IP: 10.1.1.1 Destination IP: 10.2.2.2 Destination Port: 25

Based on the above Mobility Controller configuration file segment, what will this policy do with the user frame?

A. The frame is discarded because of the implicit deny all at the end of the policy.

- B. The frame is discarded because of the statement: user host 10.1.1.1 host 10.2.2.2 deny.
- C. The frame is accepted because of the statement: user any any permit.
- D. The frame is accepted because of the statement: user network 10.1.1.0 255.255.255.0 any permit.
- E. This is not a valid policy.

Correct Answer: C

[ACMP_6.3 Practice Test](#)

[ACMP_6.3 Study Guide](#)

[ACMP_6.3 Exam Questions](#)