

C_TBIT44_731^{Q&As}

SAP Certified Development Associate - Process Integration with SAP
NetWeaver 7.31

Pass SAP C_TBIT44_731 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/c_tbit44_731.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which relationship do you define in both sender agreement and receiver agreement?

- A. Relationship between operation mapping and communication channel
- B. Relationship between service interface and communication channel
- C. Relationship between sender and receiver communication components
- D. Relationship between service interface and sender/receiver communication components

Correct Answer: B

QUESTION 2

On which design object are Mapping Templates based?

- A. Message Type
- B. Data Type
- C. Context Object
- D. Service Interface

Correct Answer: B

QUESTION 3

You have created a message mapping using drag and drop from the source to the target element. When testing the mapping by entering a single value for the source element, you notice that the target element has been created with 3 occurrences. Each target element occurrence is filled with the same value as the source element.

What could be the reason for this behavior?

- A. The data type for the source element has the occurrence property maxOccurs=3.
- B. The data type for the source element has the occurrence property minOccurs=3.
- C. The data type for the target element has the occurrence property maxOccurs=3.
- D. The data type for the target element has the occurrence property minOccurs=3.

Correct Answer: D

QUESTION 4

Which of the following adapters uses polling to retrieve messages from the sender communication component?

- A. HTTP
- B. JMS
- C. RFC
- D. SOAP

Correct Answer: B

QUESTION 5

You use SAP NetWeaver Process Integration on a dual-stack system. You want to configure asynchronous communication between two systems using different service interfaces. A high message throughput is essential for your business scenario.

Which of the following is the recommended way to achieve this?

- A. Use the direct connection object.
- B. Use XSLT mapping technology.
- C. Use the integrated configuration object.
- D. Use the integration process object.

Correct Answer: C

QUESTION 6

You have selected the delivery mode Without Buffering for your integration process.

What do you have to consider in order to avoid the process type-specific queue going into a SYSFAIL state?

- A. You have to use configurable parameters in order to specify the queue name.
- B. You have to enable correlation for the integration process.
- C. The process instance cannot use correlations to collect messages from different communication components.
- D. The process instance must provide an open receive step when the message is handed over to the Business Process Engine.

Correct Answer: D

QUESTION 7

You want to build a proxy based on a service interface.

Where in Enterprise Services Repository can you define the required message type? (Choose two)

- A. In a software component that underlies service\\'s interface software component
- B. In any software component independent of the service\\'s interface software component
- C. In a local software component
- D. In the same software component as the service interface

Correct Answer: AD

QUESTION 8

How do you develop a SAP NetWeaver PI proxy?

- A. Design a service interface in the Integration Directory and generate the proxy in the back end.
- B. Develop a proxy in Enterprise Services Repository and set the proxy port to 8080.
- C. Set a function module to "RFC-enabled" and configure an RFC-enabled proxy adapter.
- D. Design a service interface in Enterprise Services Repository and generate the proxy in the back end.

Correct Answer: D

QUESTION 9

Which of the following are characteristics of enterprise services? (Choose two)

- A. They are based on global data types.
- B. They are semantically harmonized across applications.
- C. They can be easily used as imported archive objects.
- D. They can be used to extend BAPIs.

Correct Answer: AB

QUESTION 10

In which step types of a ccBPM process can you select the "Create New Transaction" property? (Choose three)

- A. Receive
- B. Send
- C. Transformation
- D. Receiver Determination
- E. Wait

Correct Answer: BCD

QUESTION 11

How is a product defined in the System Landscape Directory catalog?

- A. As a business system
- B. As a technical system
- C. As a unit that is installable, renewable, and delivered
- D. As a unit consisting of features, best practice tools, and templates

Correct Answer: C

QUESTION 12

In which cases do you need to use ccBPM processes? (Choose two)

- A. When collecting messages
- B. When querying databases
- C. When using a synchronous/asynchronous bridge
- D. When using scenarios that are based on an AEX installation

Correct Answer: AC

QUESTION 13

You want to create multiple configurations for one ccBPM process without changing the corresponding process definition.

What do you use to achieve this?

- A. Process signature
- B. Configurable parameters
- C. Container definition
- D. Correlation

Correct Answer: B

QUESTION 14

Which modeling environments does Enterprise Services Repository offer in SAP NetWeaver Process Integration?
(Choose two)

- A. Visual Composer
- B. Unified Modeling Language (UML)
- C. Process Integration scenario
- D. Business process modeling notation (BPMN)
- E. Process Component Architecture Model

Correct Answer: CE

QUESTION 15

Where do you create a communication channel template?

- A. In Enterprise Services Repository
- B. In the Integration Directory
- C. In the System Landscape Directory
- D. In the Runtime Workbench

Correct Answer: A

[Latest C_TBIT44_731 Dumps](#)

[C_TBIT44_731 VCE Dumps](#) [C_TBIT44_731 Braindumps](#)