

# H13-629\_V2.0<sup>Q&As</sup>

HCIE-Storage (Written)v2.0

## Pass Huawei H13-629\_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/h13-629\\_v2-0.html](https://www.leads4pass.com/h13-629_v2-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

True or False, In an OceanStor V3 system storage array, all the snapshots of a LUN occupy no more space than the LUN.

- A. True
- B. False

Correct Answer: B

---

## QUESTION 2

Which remote replication description about the OceanStor V3 file system is correct? (Multiple choice.)

- A. The object-based approach to data replication.
- B. ROW snapshots based on the cyclical manner of data replication.
- C. The user can trigger manually or system timing synchronization.
- D. Support dequota quota information of the main file system to the slave, no need for the slave to configure quota.

Correct Answer: BC

---

## QUESTION 3

Which of the following is not a disaster recovery manual restart configuration necessary to restore the production system (Multiple choice.)

- A. Stop the current production business
- B. Add the remote device to the original production array
- C. With the disaster recovery array as the master LUN and the original production array as the slave LUN, create the remote replication relationship between the DR and the production end and wait for the initial synchronization to be completed.
- D. Make an incremental synchronization.
- E. Delete the original production array consistency group.

Correct Answer: BE

---

## QUESTION 4

In a Huawei OceanStor 9000 V100R001C30, in order to experiment with the video surveillance functions of multiple Huawei OceanStor 9000 product you need to install UniformView software. Which of the following statements is wrong?

- A. UniformView software installed by the user can specify a directory, create a UniformView directory in this directory as a mounted root table of Contents
- B. The administrator performs a mount command on the UniformView client to mount a different storage domain with the cluster ID and the static IP address
- C. UniformView Resolve mount command, in the mount root directory, followed by the creation of a cluster ID name of the directory
- D. Using the NFS protocol, mount the specified shared directory to the cluster ID directory read-only using the management IP address

Correct Answer: B

---

## QUESTION 5

Which of the following statements are true regarding HUAWEI OceanStor 18000 Engine, SVP, Disk Enclosure, and PCI-e Switch Interconnections?

- A. SVP needs to be connected to multiple engines through two PCIe switches, and each engine controller needs to be connected to a PCIe switch to ensure that link redundancy and to improve reliability.
- B. When the control plane is connected to a network, when the engine and the PCI-e switch are interconnected, the port 0, port A3 and PCIe port can be interconnected.
- C. Huawei slot 0 and slot 5 of the OceanStor 18000 engine enclosure can be used to install SAS interface modules and interconnect disk enclosures.

Correct Answer: B

---

## QUESTION 6

The user backup client has sufficient resources and the production network resources are relatively tight. The amount of data scheduled to be backed up weekly is 1-2T. The backup window is 3 hours, using source-side de-duplication, deduplication ratio of 3, the bandwidth utilization value of 0.8. Based on this, what kind of networking can meet the backup business needs and investment least?

- A. GE LAN-free
- B. 10GE LAN-free
- C. FC LAN-free
- D. server-free

Correct Answer: A

---

## QUESTION 7

When cache mirroring is enabled for the two controllers of an OceanStor V3 storage system, the two controllers have identical cache data and the failure of either controller does not affect system services.

- A. TRUE
- B. FALSE

Correct Answer: B

---

#### QUESTION 8

Production time is Monday to Friday 8:00 to 18:00. There are three LUNs, respectively LUN1, LUN2, LUN3, LUN1 with a size of 500G, all IO. The average response time needs to be within 5ms, the size of LUN2 is 4TB, the coexistence of hot and cold data (with 12.5% of the hot data), and the size of LUN3 is 10TB. If performance requirements are not high and the engineer plans to use SmartTier, which of the following description is correct? (Multiple choice)

- A. Use 3-tier Tier, 1TB high performance layer, 4TB performance layer, 10TB capacity layer, and configure LUN1 to allocate high-performance layer capacity first, LUN2 preferentially allocates performance layer capacity and LUN3 preferentially allocates capacity layer capacity
- B. Use 3-tier Tier, 1TB high-performance layer, 4TB performance layer, 10TB capacity layer, configure LUN1 and LUN2 to migrate automatically, and LUN3 priority allocation of low-performance layer capacity
- C. The use of 3-tier Tier, high-performance layer 1TB, performance layer is 4TB, capacity layer is 10TB, while configuring LUN1, LUN2, LUN automatic relocation. The LUN3 is migrated preferentially to the low-performance layer
- D. Set the monitoring period of the Smart tier to 8:00 to 18:00 every day from Monday to Friday. The migration period is not overlapped with the monitoring period

Correct Answer: AD

---

#### QUESTION 9

Client server resources are limited but there is sufficient network bandwidth. What kind of deduplication strategy should be used if the client data needs to be backed up to the physical tape?

- A. source-side deduplication (backup software)
- B. target-side deduplication (backup software deleted)
- C. Target-side de-duplication (backup software global deduction)
- D. target-side deduplication (backup media deleted)

Correct Answer: D

---

#### QUESTION 10

A customer wants to deploy one OceanStor v3 storage to meet their capacity and performance requirements. Which of the following should be considered regarding the hard drive configuration? (Multiple choice.)

- A. Hard drive capacity
- B. Metadata space size

C. Hard drive type

D. RAID type

Correct Answer: ACD

---

## QUESTION 11

When the N8500 (V200R001) clustered NAS operating system is archived as a banknote imaging platform, the information about storage units and networks is set. Choose the correct statement.

A. When the access to the N8500 is all on the intranet, and the client traffic is not equal, it is recommended to configure the "balance-alb" mode (that is, bond 6 mode).

B. When creating a LUN, write business for a long time, the stripe depth recommended 512KB.

C. If the RAID group is configured as RAID 6, the number of member disks is recommended to be 9 disks, and it is not recommended to configure the RAID group.

D. Fencing LUN should be placed in the same RAID group.

Correct Answer: A

---

## QUESTION 12

A Simpana client fails to perform a backup. When you view the status of the task, it reported the following error "library, media Agent, Drive pool, Media: mount path is offline: please check if the mount path is online and accessible".

What may can be the cause of this problem?

A. Client offline

B. Media Services Offline

C. The client cannot resolve the media server host name

D. backup media failure

Correct Answer: D

---

## QUESTION 13

Which of the following is correct about Huawei OceanStor v3 unified storage system? (Multiple choice.)

A. Standalone SAN engine and stand-alone file engine

B. Parallel dual-stack by way of parallel support (SAN) and file system (NAS)

C. Use unified storage pool technology

D. file system can achieve deduplication data compression function

Correct Answer: BCD

---

## QUESTION 14

HPUX operating system Mirrordisk / UX software must be installed before it can be mirrored by LVM.

- A. True
- B. False

Correct Answer: A

---

## QUESTION 15

When one of the nodes in the Huawei N8000 cluster fails, the service IP address of the node cannot be accessed. Which of the following methods can recover the affected services?

- A. Restart the failed node
- B. Use the other node's business IP access
- C. Only manually switch the node's service IP to the remaining nodes
- D. restart service

Correct Answer: BC

[H13-629\\_V2.0 PDF Dumps](#)

[H13-629\\_V2.0 Study Guide](#)

[H13-629\\_V2.0 Exam Questions](#)