# HP0-P24<sup>Q&As</sup>

HP-UX 11iv3 System Administration

### Pass HP HP0-P24 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/hp0-p24.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



## Leads4Pass

#### **QUESTION 1**

Which protocol must be configured on servers to have a synchronized time?

- A. ICMP Timestamp Protocol B. Network Time Protocol
- C. Network Identity and Time Zone Protocol
- D. Server Time Protocol
- Correct Answer: B

#### **QUESTION 2**

How should a system administrator securely access an interactive shell account via the network"?

- A. remsh
- B. ssh
- C. ftp
- D. telnet
- Correct Answer: B

#### **QUESTION 3**

What is the maximum amount of data that a make \_tape\_ recovery tape can hold when all applicable patches have been applied to an HP -UX server?

A. Up to 2GB of data and only on a single tape regardless of the overall tape size

B. Up to 8GB of data and only on a single tape regardless of the overall tape size

C. As much as 2GB of data on a single tape hut if make \_tape\_ recovery is run in the foreground, it prompts for more tapes, if they are necessary, until all data is stored


D. As much data as will fit on the tape but if make \_tape\_ recovery is run in the foreground, it prompts for more topes, if they are necessary

Correct Answer: A

#### **QUESTION 4**

Refer to the exhibit.

### Leads4Pass



What are items identified by the arrows in the HP integrity hardware architecture shown in the exhibit? (Select two)

A. RAM

- B. BUS
- C. SBA
- D. LBA
- E. PATH

Correct Answer: AB

#### **QUESTION 5**

Which command displays all of the network interfaces in the system, including physical LAN interfaces, VLANs, APA aggregates and failover groups and RDMA interfaces?

- A. link loop
- B. lanadmin
- C. nwmgr
- D. lanscan

#### **QUESTION 6**

The VAR=S (dace) command is an example of which kind of substitution?

#### A. A command substitution

Correct Answer: C



- B. A variable substitution
- C. A tilde substitution
- D. An alias substitution

Correct Answer: B

#### **QUESTION 7**

Which command must n?used to change the SMH startup configuration?

- A. Smhassaist
- B. Smh startconfig
- C. Smh
- D. amhconfig
- Correct Answer: C

#### **QUESTION 8**

#### Refer to the exhibit

OSI Model			
	Data unit	Layer	Function
Host layers	Data	7. Application	Network process to application
		6. Presentation	Data representation, encryption and decryption, convert machine dependent data to machine independent data
		5. Session	Interhost communication, managing sessions between applications
	Segments	4. Transport	End-to-end connections, reliability and flow control
Media layers	Packet/Datagram	3. Network	Path determination and logical addressing
	Frame	2. Data link	Physical addressing
	Bit	1. Physical	Media, signal and binary transmission

Which address is used on Layer 2 of the OSI Reference Model?

- A. Internet Protocol Address (IP)
- B. Transmission Communication Protocol (TCP)
- C. Server Message Block (SMB)
- D. Media Access Control Address (MAC)

Correct Answer: D

#### **QUESTION 9**

Which statements about Ignite-UX are true? (Select three)

- A. It allows recovery both locally and remotely.
- B. It allows creation of custom installation configurations for multiple systems,
- C. It is a system backup solution

Leads4Pass

- D. It is designed to clone systems
- E. It allows system partitioning
- F. It can manage simultaneous installations on multiple HP Integrity systems

Correct Answer: ABF

#### **QUESTION 10**

A mirror copy of the boot disk has been created on disk4. The system is rebooted using disk4 but fails to boot due to missing EFI executables such as the hpux.efi file. Which step has been left out of the mirror creation procedure?

- A. mkboot --e /dev/rdisk/disk4
- B. mkboot --e /dev/disk/disk4
- C. mkboot --e --I /dev/disk/disk4
- D. mkboot -e --1 /dev/rdisk/disk4

Correct Answer: A

HP0-P24 PDF Dumps

HP0-P24 VCE Dumps

HP0-P24 Exam Questions