

## JN0-450<sup>Q&As</sup>

Mist AI Specialist (JNCIS-MistAI)

### Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-450.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

What is the purpose of a Probe Request frame?

- A. to discover all clients associated to a particular WLAN
- B. to discover all WLAN devices on a particular channel
- C. to discover available WLANs
- D. to associate to a WLAN

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/junos-space-apps/network-director3.1/topics/concept/wireless-scanning.html](https://www.juniper.net/documentation/en_US/junos-space-apps/network-director3.1/topics/concept/wireless-scanning.html)

---

## QUESTION 2

What do 802.11 stations perform to help avoid collisions on the WLAN medium?

- A. 802.11 stations detect collisions and set a back-off timer.
- B. Listen to verify that the medium is free before transmitting.
- C. Stations only transmit when polled by the access point.
- D. Transmit on a fixed schedule.

Correct Answer: B

Reference: <https://blogs.arubanetworks.com/industries/understanding-802-11-medium-contention/>

---

## QUESTION 3

What happens first when a client requests to join a WLAN?

- A. 802.11 authentication
- B. ARP request
- C. 802.11 association
- D. DHCP discovery

Correct Answer: A

Reference: <https://netbeez.net/blog/how-wifi-connection-works/>

---

## QUESTION 4

Which two statements are correct about switch adoption? (Choose two.)

- A. Greenfield switch adoption requires cloud-enabled switches with a claim or activation code.
- B. Switch adoption uses SSH over TCP port 443.
- C. Switch adoption requires Mist AP.
- D. Brownfield switch adoption requires manual adoption and is used for switches that do not have a claim or activation code.

Correct Answer: AD

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/nce/topics/example/nce177-day0-mist-with-ex-switches.html](https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/nce177-day0-mist-with-ex-switches.html)

---

## QUESTION 5

Which statement is correct about wireless assurance?

- A. Wireless assurance is a legacy WLAN construct that is difficult to use.
- B. Wireless assurance can be used to proactively optimize WLAN performance.
- C. Wireless assurance is used by clients to ensure that a Wi-Fi connection is stable and reliable before joining.
- D. Wireless assurance does not require a subscription.

Correct Answer: B

Reference: <https://www.juniper.net/us/en/products/cloud-services/wi-fi-assurance.html>

---

## QUESTION 6

You are troubleshooting a client that has had intermittent connectivity problems. Using Marvis to troubleshoot, you see that AP uptime is negatively affecting the client. When inspecting Marvis\' troubleshooting response, which category should you select to see when the AP went offline?

- A. Location
- B. Correlation
- C. AP Metrics
- D. Classifiers

Correct Answer: C

Reference: <https://www.mist.com/documentation/metrics-on-the-access-points-page/>

---

## QUESTION 7

Which two SLEs measure the amount of time that it takes for a process to complete? (Choose two.)

- A. roaming
- B. AP uptime
- C. throughput
- D. time to connect

Correct Answer: CD

Reference: <https://www.juniper.net/documentation/us/en/day-one-plus/mist/mist-cloud-day-one-plus.pdf>

---

## QUESTION 8

Which two statements are correct when determining AP placement in the Mist UI? (Choose two.)

- A. The AP height must be recorded correctly.
- B. Use vBeacons to simulate user locations while verifying network coverage.
- C. The floor plan map size should be properly scaled.
- D. You must ensure that the floor plan map is oriented to face true north.

Correct Answer: AC

Reference: <https://www.mist.com/documentation/good-location-setup/>

---

## QUESTION 9

What are three available rate limiting options in the Mist UI? (Choose three.)

- A. Network
- B. Application
- C. wLan
- D. Per-Client
- E. Per-Site

Correct Answer: BCD

Reference: <https://www.mist.com/documentation/wlan-rate-limiting/>

---

## QUESTION 10

What is the purpose of an SSID?

- A. to identify a unique WLAN
- B. to identify a unique VLAN
- C. to identify a unique APPROACH
- D. to identify a unique organization

Correct Answer: A

Reference: <https://www.lifewire.com/definition-of-service-set-identifier-816547>

---

## QUESTION 11

How should Mist AP43 access points be mounted for location-based services?

- A. table mounted (logo face up)
- B. horizontal (logo face down)
- C. vertical (wall mounted)
- D. above the ceiling tile (logo face up)

Correct Answer: B

Reference: <https://www.mist.com/documentation/adding-ap-location/>

---

## QUESTION 12

Which statement about BLE advertisement and Wi-Fi interference is correct?

- A. BLE advertisements interfere with Wi-Fi channel 1.
- B. BLE advertisements interfere with Wi-Fi channel 36.
- C. BLE advertisements interfere with Wi-Fi channel 6.
- D. BLE advertisement does not interfere with Wi-Fi.

Correct Answer: D

Reference: <https://www.mist.com/documentation/vble-impact-2-4-ghz-wifi/>

---

## QUESTION 13

How is Mist BLE location calculated?

- A. relationships with specific tag vendors

- B. tightly coupled software between the SDK client and the arrays
- C. probability surface with machine learning
- D. triangulation

Correct Answer: C

Reference: <https://www.mist.com/documentation/location-how-it-works/>

---

## QUESTION 14

What does Mist's patented 16-element vBLE Antenna Array do when "engagement" is enabled?

- A. performs radio resource management
- B. locates Wi-Fi assets
- C. transmits unique and directional BLE beams
- D. performs personal pre-shared key sharing

Correct Answer: C

Reference: <https://www.mist.com/resources/ap61-access-point/>

---

## QUESTION 15

What are three authorization methods allowed for Mist guest portals? (Choose three.)

- A. authentication code
- B. static MAC
- C. passphrase
- D. social logins
- E. certificates

Correct Answer: ACD

Reference: <https://www.mist.com/documentation/sponsored-guest-access-wlan/>

---

[JN0-450 PDF Dumps](#)

[JN0-450 Practice Test](#)

[JN0-450 Exam Questions](#)