

## NS0-504<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

### Pass Network Appliance NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-504.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which objects can be restored by a single SnapRestore command? (Choose three)

- A. file
- B. LUN
- C. qtree
- D. volume
- E. directory

Correct Answer: ABD

---

## QUESTION 2

What communication link is necessary in order to establish cluster peer relations between two clusters?

- A. The cluster interface on each node must be able to communicate with the intracluster interface on each node in the peer cluster.
- B. The cluster interface on each node must be able to communicate with the node-mgmt interface on each node in the peer cluster.
- C. The intracluster interface on each node must be able to communicate with the intracluster interface on each node in the peer cluster.
- D. The intercluster interface on each node must be able to communicate with the intercluster interface on each node in the peer cluster.

Correct Answer: D

---

## QUESTION 3

Which four FC fabric topologies does NetApp support? (Choose four.)

- A. four FC switches with multiple Inter-Switch Links (ISLs) between each pair of switches
- B. ten FC switches per fabric, daisy chained with a single ISL between switches
- C. four FC switches with multiple ISLs between ALL switches
- D. eight FC switches with no more than a single ISL between switches in a cascade topology
- E. dual FC switches with no ISLs
- F. a single FC switch
- G. a switched fabric that has 65537 ports

Correct Answer: ACEF

---

## QUESTION 4

What are the steps required to set the Domain ID on a Brocade switch? Choose one: A. cfgswitch : switchenable

B. switchshow : cfgshow : switchenable

C. configure : reboot

D. switchdisable : configure : switchenable

E. configure : switchshow : reboot

F. switchdisable : configure : reset

Correct Answer: D

---

## QUESTION 5

Which command will show the FCP target(s) on a storage system?

A. fcp show adapter

B. fcp show all

C. fcp show -t

D. fcp status

Correct Answer: A

---

## QUESTION 6

UNIX allows file access based on\_\_\_\_\_.

A. NT ACLs and UNIX permissions.

B. NT ACLs and SID.

C. GID or UID and UNIX permissions.

D. GID or UID and ACLs.

Correct Answer: C

---

## QUESTION 7

When you create a LIF you associate it with which two components? (Choose two.)

- A. a vserver
- B. an aggregate
- C. a LUN
- D. a volume
- E. a controller's Ethernet or FC port

Correct Answer: AE

---

## QUESTION 8

A company wants to use jumbo frames to improve performance with their iSCSI network. When setting up the Ethernet switches for jumbo frames, which three components need to be configured? (Choose three.)

- A. Ethernet port on Management Console
- B. Ethernet port on RLM
- C. Ethernet port on host system
- D. Ethernet port on storage device
- E. Ethernet port on FC switch
- F. Ethernet switch ports being used

Correct Answer: CDF

---

## QUESTION 9

In a 2-node cluster with cluster HA enabled, which node has Epsilon by default?

- A. the first node to join the cluster
- B. the node that's been running for the longest amount of time
- C. the node serving as mgwd ring master
- D. the node with the lower system ID
- E. neither node

Correct Answer: E

---

## QUESTION 10

Which option of the snap restore command allows you to specify a different directory, as long as the directory already exists?

- A. snap restore -c
- B. snap restore -d
- C. snap restore -r
- D. snap restore s

Correct Answer: C

---

## QUESTION 11

With 64-bit aggregates, the number of FlexVols that can be created on a storage controller is \_\_\_\_.

- A. 500
- B. 1000
- C. 6400
- D. 64000

Correct Answer: A

---

## QUESTION 12

Which option needs to be set on a LUN to guarantee that it cannot be affected by other LUNs in the volume?

- A. Volume Guarantee
- B. Volume Space Reserved
- C. LUN Reservation Disabled
- D. LUN Reservation Enabled

Correct Answer: D

---

## QUESTION 13

When Data ONTAP creates a weekly, nightly, or hourly snapshot, the value of n (as shown by the snap list command) is adjusted for all the weekly.n, nightly.n, or hourly.n Snapshot copies. The higher the value of n, the \_\_\_\_\_ the snapshot.

- A. older
- B. newer
- C. more important
- D. least important

Correct Answer: A

---

## QUESTION 14

Which two modes support using SnapMirror over multiple paths?

- A. Standalone
- B. Partner
- C. Multi
- D. Failover
- E. Give back

Correct Answer: CD

---

## QUESTION 15

Which three licenses are required for fabric-attached MetroCluster? (Choose three.)

- A. Cluster
- B. Cluster\_remote
- C. Syncmirror\_local
- D. Syncmirror\_fabric
- E. Syncmirror\_remote

Correct Answer: ABC

[NS0-504 PDF Dumps](#)

[NS0-504 Practice Test](#)

[NS0-504 Braindumps](#)